

City Government of Muntinlupa

National Road Putatan Muntinlupa City

BIDS and AWARDS COMMITTEE

www.muntinlupacity.gov.ph

REQUEST FOR QUOTATION

					Date: 8/03/2023 Quotation No:2023-0377
					Quotation No.2025-0577
Adaress:_)
Business I	Permit No.:				
TIN:					
PhilGEPS	Registration No	.(required):			
Muntinlupa and Regulat	Population and De ions of Republic Act	evelopment Office", which will be undertak t No.9184.	en in acco	ordance wi	to procure "Purchase of Equipment to be used by th Section 52.1.b 2016 Revised Implementing Rules to the Terms and Conditions provided.
A	copy of the fol	lowing documents are also required	to be	submitte	d along with your quotation/proposal:
		Permit: (Certified True Copy)			EPS Registration (Certified True Copy)
		(Certified True Copy)		5. Certi	ficate of Registration (Certified True Cop
3. On	nibus Sworn St	tatement (Original)			
(3) technical	For any clarif NS: ter the contents of the specifications with as	ication, you may contact Bids & Aw	rards Co	ommittee	
Afte	r having carefully rea	d and accepted the Terms and Conditions, I/we	submit ou	ur quotation	/s for the item/s as follows:
	Procu	rement Project		Appro	ved Budget for the Contract (ABC)
Purchase of Office	Equipment to be use	d by Muntinlupa Population and Development	THREE	HUNDRED S	EVENTY ONE THOUSAND TWO HUNDRED SIXTY NINE PESOS AND SIXTY CENTAVOS
Technical	Specifications:				DESARDIC .
QTY	UNIT OF ISSUE	ITEM DESCRIPRION	Yes	pliance No	REMARKS
2	set	Desktop Computer			
		Intel® Core™ 17 Desktop Package			
		Intel Core i7-13700 5.2 GHZ (MTF)			
		8GB 3200MHZDDR4 + 512GB + 1TB HDD			
	1	Intel UHD Graphics 730			

LAN + WIFI + BLUETOOTH



City Government of Muntinlupa

National Road Putatan Muntinlupa City

BIDS and AWARDS COMMITTEE

		WINDOWS 11MS OFFICE HOME AND	
		STUDENT 2021	
		23.8" MONITOR	
		USB KEYBOARD AND MOUSE	
		1 Year Warranty Part and Service	
1	unit	Business Series Projector	
		3800 ANSI LUMENS	
		CONTRAST RATIO 16000;1	
		LAMP HOURS 6000/12000 HOURS	
	4,	LUDOO LUDO WILANG LUDADOUT	
10	unit	H390 USB W/ MIC HEADSET	
		Color: Black	
		System Requirements Windows® 2000, Windows® XP, Windows Vista™M, Windows@ 7	
		Mac OS® X (10.2.8 or later)	
		USB port	
		Package Contents Logitech* USB Headset H390	
		Quick-Start Guide	
		Technical Specifications Frequency response:	
		- Headset: 20 Hz-20 kHz	
		- Microphone: 100 Hz-10 kHzInput sensitivity: -62 dBV/ubar, -42 dBV/Pa +/- 3 dB	
		Cable length: 8 feet	
		Connections: USB compatible (1.1 and 2.0)	
1	unit	Laptop	
		Intel Core 17-1255U 1.7GHz	
		15.6° Full HD Screen Display	
		8GB DDR5 Memory	
		512GB Solid State Drive	
		Intel IRIS XE graphics	
		Bulit in WIFI / Bluetooth / Camera	



City Government of Muntinlupa National Road Putatan Muntinlupa City

BIDS and AWARDS COMMITTEE

		Windows 11 Home			
		Pre-loaded MS Office Home & Student 2021			
		1 Year Warranty Part and Service			
1	unit	DSLR Camera			
		AF Modes			
		Stills: One-Shot AF, Servo AF, Manual			
		Movie recording: One-Shot AF, Movie Servo			
		AF, Manual			
		AF Point Selection Automatic selection,			
		Manual selection			
		AF System Points			
		Stills: Max. 3975 selectable AF point			
		positions / Up to 143 zones (auto selection)			
		Movie recording: Max. 3375 selectable AF			
		point positions / Up to 117 zones (auto	1 1		
		selection)			
		Built-in Flash Yes			
į.		Closest Focusing Distance (cm) 25		The second secon	
		Digital Zoom Approx. 3-10x (for movie			
		recording only)			
		Cartinuous Shoothg speed (Shols Per \$00) Us To 10 (One-SholAf) /7 A (SeNo AF)			
		Dimensions (Excl. Protrusions) (mm) (Approx) 116.3 × 88.1 x 58.7			
		Drive System Stepping Motor-driven lead screw + rack system			
		Effective ISO Stills: 100 - 25,600 (H:51,200)			
		Movie (full HD/HD): 100 - 12,800 (H: 25,600)			
		Movie (4K): 100 - 6,400			
		Effective Pixels (Megapixels) 24.1			
		Exposure Compensation 3 stops in 1/3-stop increments			
		AEB: +2 stops in 1/3-stop increments		The second secon	
		Eye Detection AF One-Shot AF / Servo AF / Movie Servo AF			
		Flash Modes E-TTL II Autoflash, FE Lock,			
		Manual pop-up, Retractable, Bul-in Focal			
		Length (35mm Equivalent) 24 - 72mm(3x)			
		Guide Number ISO 100 metres 5			

EGING MUNICIPAL COPS TO THE PART OF THE PA

Republic of the Philippines

City Government of Muntinlupa

National Road Putatan Muntinlupa City

BIDS and AWARDS COMMITTEE

T			
	(enage Resolution 6000 X 4000 (.), 3084 x 2656 (M, 2076 x 1984 (51), 2400 x 1600 (52).		
	6000 × 4000 (RAW/C-RAW)		
	Image Stabilizer Stills: Lens shift type		
	Movie recording: Lens shit type & in-body 5- axis electronic image stablisation (movie recording only)		
	LCD Monitor (Size) (Inch) 3.0		
	LCD Monitor Resolutions (dots) 1,040,000		
	Manual Focus Yes		
	Memory Card Type SD, SDHC*, SDXC", *UHS- I cards compatible Metering Mode Stills: Evaluative, Partial, Spot, Center-weighted average		
	Movie: Evaluative (when faces are artacleo With race-+ Tracking), Center-weighted average (when no faces are detected)		
	Movie Format MP4		
	Optical Zoom 3x		
	Optional Power AC Power (AC Adapter CA- PS700 and DC Coupler DR-E12)		
	Peripheral Connections Micro USB, HDMI (Type D), External microphone IN		
	Processor Type DIGIC 8		
	Sensor Size APS-C		
	Shooting Modes Stills: Scene Intelligent Auto, Hybrid Auto, Special scene modes (Self Portrait, Portrait, Smooth Skin, Landscape, Sports, Panning, Close-up, Food, Night Portrait, Handheld Night Scene, HDR Backlight Control, Silent Mode), Creative filters (Grainy BM, Soft focus, Fish-eye effect, Water painting effect, Toy camera effect,		
	Miniature effect, HDR art standard, HDR art vivid, HDR art bold, HDR art embossed), Program AE, Shutter-priority AE, Aperture-priority AE, Manual Exposure Movie recording: Movie auto exposure, Movie manual exposure		

SOUNG MUNITIFICATION OF THE PROPERTY OF THE PR

Republic of the Philippines

City Government of Muntinlupa

National Road Putatan Muntinlupa City

BIDS and AWARDS COMMITTEE

		Shutter Speed Range (Sec.) Stills: 30 - 1/4000, Bulb Movie recording: 1/25 - 1/4000 (PAL) or 1/30 - 1/4000 (NTSC				
		Silent Shutter Available: Single Shot				
		Standard Power Supply LP-E12				
		Still Image Format JPEG, RAW, RAW + JPEG, C RAW, C-RAW+ JPEG				
		Viewfinder Coverage (Approx.) 100%				
		Viewfinder Type 0.39-inch OLED, 2.36million dots				
		59.94fps refresh rate				
		Weight (g) (Including the battery and memory card) (Approx.)				
		*For camera kits, weight includes kit lens(es). 517 (Black)				
		518 (White)				
		White Balance Auto (Ambience priority), Auto White priority), Preset (Daylight, Shade, Cloudy, Tungsten light, White fluorescent light, Flash), Custom, Color temperature setting (approx. 2500-10000 K), White balance correction and white balance bracketing features provided				
		*Flash color temperature information transmission possible transmission possible (EX / EL Series Speedlite)				i la mana di Santina di Hata da Garante
		X-sync (sec.) 1/200				
QTY	UNIT OF ISSUE	ITEM DESCRIPTION	QTY	UNIT OF ISSUE	REMARKS	TOTAL PRICE
2	set	Desktop Computer				
		Intel® Core™ 17 Desktop Package				
		Intel Core i7-13700 5.2 GHZ (MTF)				
		8GB 3200MHZDDR4 + 512GB + 1TB HDD		t		
	1	Intel UHD Graphics 730				
		LAN + WIFI + BLUETOOTH				
		WINDOWS 11MS OFFICE HOME AND STUDENT 2021				
		23.8" MONITOR				
		USB KEYBOARD AND MOUSE				
		1 Year Warranty Part and Service				



City Government of Muntinlupa

National Road Putatan Muntinlupa City

BIDS and AWARDS COMMITTEE

		3800 ANSI LUMENS		
		CONTRAST RATIO 16000;1		
		LAMP HOURS 6000/12000 HOURS		
10	unit	H390 USB W/ MIC HEADSET		
		Color: Black		
		System Requirements Windows* 2000, Windows* XP, Windows Vista™M, Windows@ 7		
		Mac OS* X (10.2.8 or later)		
		USB port		
		Package Contents Logitech® USB Headset H390		
		Quick-Start Guide		
		Technical Specifications Frequency response:		
		- Headset: 20 Hz-20 kHz		
		- Microphone: 100 Hz-10 kHzInput sensitivity: -62 dBV/ubar, -42 dBV/Pa +/- 3 dB		
		Cable length: 8 feet		
		Connections: USB compatible (1.1 and 2.0)		
1	unit	Laptop		
		Intel Core 17-1255U 1.7GHz		
		15.6" Full HD Screen Display		
		8GB DDR5 Memory		
		512GB Solid State Drive		
		Intel IRIS XE graphics		
		Bulit in WIFI / Bluetooth / Camera		
		Windows 11 Home		
		Pre-loaded MS Office Home & Student 2021		
		1 Year Warranty Part and Service		
1	unit	DSLR Camera		
		AF Modes		
		Stills: One-Shot AF, Servo AF, Manual		

City Government of Muntinlupa National Road Putatan Muntinlupa City

BIDS and AWARDS COMMITTEE

Movie recording: One-Shot AF, Movie Servo AF, Manual	
AF Point Selection Automatic selection, Manual selection	
AF System Points	
Stills: Max. 3975 selectable AF point positions / Up to 143 zones (auto selection)	
Movie recording: Max. 3375 selectable AF point positions / Up to 117 zones (auto selection)	
Built-in Flash Yes	
Closest Focusing Distance (cm) 25	
Digital Zoom Approx. 3-10x (for movie recording only)	
Cartinuous Shoothg speed (Shols Per \$00) Us To 10 (One-SholAf) /7 A (SeNo AF)	
Dimensions (Excl. Protrusions) (mm) (Approx) 116.3 × 88.1 x 58.7	
Drive System Stepping Motor-driven lead screw + rack system	
Effective ISO Stills: 100 - 25,600 (H:51,200)	
Movie (full HD/HD): 100 - 12,800 (H: 25,600)	
Movie (4K): 100 - 6,400	
Effective Pixels (Megapixels) 24.1	
Exposure Compensation 3 stops in 1/3-stop increments	
AEB: +2 stops in 1/3-stop increments	3
Eye Detection AF One-Shot AF / Servo AF / Movie Servo AF	
Flash Modes E-TTL II Autoflash, FE Lock, Manual pop-up, Retractable, Bul-in Focal Length (35mm Equivalent) 24 - 72mm(3x)	
 Guide Number ISO 100 metres 5	
(enage Resolution 6000 X 4000 (.), 3084 x 2656 (M, 2076 x 1984 (51), 2400 x 1600 (52).	
6000 × 4000 (RAW/C-RAW)	
Image Stabilizer Stills: Lens shift type	
Movie recording: Lens shit type & in-body 5- axis elecironic image stablisation (movie recording only)	
LCD Monitor (Size) (Inch) 3.0	

NG MUNITUL UPA

Republic of the Philippines

City Government of Muntinlupa

National Road Putatan Muntinlupa City

BIDS and AWARDS COMMITTEE

	 T		T
LCD Monitor Resolutions (dots) 1,040,000			
Manual Focus Yes			
Memory Card Type SD, SDHC*, SDXC*, *UHS- I cards compatible Metering Mode Stills: Evaluative, Partial, Spot, Center-weighted average			
Movie: Evaluative (when faces are artacleo With race-+ Tracking)), Center-weighted average (when no faces are detected)			
Movie Format MP4			
Optical Zoom 3x			
Optional Power AC Power (AC Adapter CA- PS700 and DC Coupler DR-E12)			
Peripheral Connections Micro USB, HDMI (Type D), External microphone IN			
Processor Type DIGIC 8			
Sensor Size APS-C			
Shooting Modes Stills: Scene Intelligent Auto, Hybrid Auto, Special scene modes (Self Portrait, Portrait, Smooth Skin, Landscape, Sports, Panning, Close-up, Food, Night Portrait, Handheld Night Scene, HDR Backlight Control, Silent Mode), Creative filters (Grainy BM, Soft focus, Fish-eye effect, Water painting effect, Toy camera effect,			
Miniature effect, HDR art standard, HDR art vivid, HDR art bold, HDR art embossed), Program AE, Shutter-priority AE, Aperture-priority AE, Manual Exposure Movie recording: Movie auto exposure, Movie manual exposure			
Shutter Speed Range (Sec.) Stills: 30 - 1/4000, Bulb Movie recording: 1/25 - 1/4000 (PAL) or 1/30 - 1/4000 (NTSC			
Silent Shutter Available: Single Shot			
Standard Power Supply LP-E12		W	
Still Image Format JPEG, RAW, RAW + JPEG, C RAW, C-RAW+ JPEG			



City Government of Muntinlupa

National Road Putatan Muntinlupa City

BIDS and AWARDS COMMITTEE

www.muntinlupacity.gov.ph

	371,269.60	Total Offered quotation (in Php)	Php
X-sync (sec.) 1/200			
*Flash color temperature information transmission possible transmission possible (EX / EL Series Speedlite)			
White Balance Auto (Ambience priority), Auto White priority), Preset (Daylight, Shade, Cloudy, Tungsten light, White fluorescent light, Flash), Custom, Color temperature setting (approx. 2500-10000 K), White balance correction and white balance bracketing features provided			
518 (White)			
*For camera kits, weight includes kit lens(es). 517 (Black)			
Weight (g) (Including the battery and memory card) (Approx.)			
59.94fps refresh rate			
Viewfinder Type 0.39-inch OLED, 2.36million dots			
Viewfinder Coverage (Approx.) 100%	1		

TERMS AND CONDITIONS:

- Bidders shall provide correct and accurate information required in this form.
- Bidders must quote for all or all the items.
- Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
- 4. Price quotation/s, to be denominated in Philippine peso shall include all taxes, duties and/or levies payable.
- 5. Quotations exceeding the Approved Budget for the contract shall be rejected.
- 6. Award of contract shall be made to the lowest quotation (for goods and infrastructure) or, the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
- 7. Any interlineations, erasures overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- 8. The Item/s shall be delivered according to the requirements specified in the Technical Specifications.
- 9. The GSO/Engineering Office shall have the right to inspect and/or to test the goods to confirm their conformity to the technical specifications.

	Signature over Printed Name
-	Position/Designation
	Office Telephone No.
	Mobile Phone No./Fax No.



City Government of Muntinlupa

National Road Putatan Muntinlupa City

BIDS and AWARDS COMMITTEE

SOCIO-CONTACTO UNA EL PORO TICO A II PER MA HERVANIA ROMANIA HONARIA HONARIA PAR PARA		
	 Email address/es	