



Republic of the Philippines
CITY GOVERNMENT OF MUNTINLUPA
Bids and Awards Committee

NOTICE TO PROCEED

SMART GUARD PHILIPPINES INC.
Bacolod City, Negros Occidental

Dear Sir / Madame:


The attached Contract Agreement having been approved, notice is hereby given to **SMART GUARD PHILIPPINES INC.** that the CONTRACT of the City Government of Muntinlupa for the "**Supply & Delivery of Advanced Life Support (ALS) Ambulance**", shall commence effective FIVE (5) DAYS after acknowledging receipt hereof.

Upon receipt of this notice, you are responsible for performing the services under the terms and conditions of the Agreement and Schedule of Delivery.

Please acknowledge receipt and acceptance of this notice by signing both copies on the space provided below. Kindly keep one (1) copy and return the other copy to the Bids and Awards Committee Secretariat.

Very truly yours,


Hon. **ROZZANO RUFINO B. BIAZON**
City Mayor

I acknowledge receipt of this Notice on December 4, 2023
Name of the Bidder or Representative BOB JAMES WONG
Authorized signature 

Contract Agreement

THIS AGREEMENT made the 10th day of November 2023 between **CITY GOVERNMENT OF MUNTINLUPA** of the Philippines (hereinafter called "the Entity") of the one part and **SMART GUARD PHILIPPINES INC.** with address at Bacolod City Negros Occidental (hereinafter called "the Supplier") of the other part;

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly for the **Supply & Delivery of Advanced Life Support (ALS) Ambulance** and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of **Eleven Million Six Hundred Eighty Seven Thousand Five Hundred Pesos (P11,687,500.00)** (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:


1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, *viz.*:
 - i. *Philippine Bidding Documents (PBDs)*;
 - i. Schedule of Requirements;
 - ii. Technical Specifications;
 - iii. General and Special Conditions of Contract; and
 - iv. Supplemental or Bid Bulletins, if any
 - ii. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (*e.g.*, Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
 - iii. Performance Security;
 - iv. Notice of Award of Contract; and the Bidder's conforme thereto; and
 - v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. **Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.**

3. In consideration for the sum of **Eleven Million Six Hundred Eighty Seven Thousand Five Hundred Pesos (P11,687,500.00)** or such other sums as may be ascertained, **SMART GUARD PHILIPPINES INC.** agrees to the **Supply & Delivery of Advanced Life Support (ALS) Ambulance** in accordance with his/her/its Bid.
4. The City Government of Muntinlupa agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.


IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.



Hon. ROZZANO RUFINO B. BIAZON
 City Mayor


BOB JAMES WONG
 Supplier

for:
CITY GOVERNMENT OF MUNTINLUPA

for:
SMART GUARD PHILIPPINES INC.


 Irene Maganda

Signed in the presence of:

 Belinda Bicsic Macugan

ACKNOWLEDGEMENT

REPUBLIC OF THE PHILIPPINES)
 CITY OF MUNTINLUPA)

NOV 10 2023

BEFORE ME, a Notary Public for and in Muntinlupa City, this ___ day of _____ 2023, personally appeared:

NAME
 Hon. ROZZANO RUFINO B. BIAZON
Bob James Wong

GOVERNMENT ISSUED ID NO.
 Driver's License N03-86-030998
CRN 0111-0079981-2

Known to me and to me known to be the same persons who executed the foregoing instrument and acknowledged to me that the same is their own voluntary act and deed.

WITNESS MY HAND SEAL.

Doc. No. 134
 Page No. 28
 Book No. XII
 Series of 2023.


MEYnard R. JOB

Notary Public for Muntinlupa City
 Notarial Commission No. 23-089
 Until December 31, 2024
 PTR No. 4347537 / Jan. 03, 2023 / Muntinlupa City
 IBP Lifetime O.R. No. 1010271 / Jan. 04, 2016
 Roll No. 49736 / PPLM
 MCLE Compliance No. VII-0026417 / April 26, 2022
 731-C Bruger Street, Bruger Subdivision,
 Putatan, Muntinlupa City



REPUBLIC OF THE PHILIPPINES
Unified Multi-Purpose ID



CRN-0311-0079981-2



SURNAME
WONG
GIVEN NAME
BOB JAMES

SEX NAME
NGO
SEX M DATE OF BIRTH 1981/04/21
ADDRESS
ST. WEST SAPPHIRE ST DIAMOND
VILL LANANG ALEONSO CITY
ANGLITONGTO SR DAVAO CITY
DAVAO DEL SUR PHL 8000

8

REPUBLIC OF THE PHILIPPINES
 DEPARTMENT OF TRANSPORTATION
 LAND TRANSPORTATION OFFICE
 NON-PROFESSIONAL DRIVER'S LICENSE



Last Name, First Name, Middle Name
BIAZON, ROZZANO RUFINO BUNOAN
 Nationality Sex Date of Birth Weight (kg) Height (cm)
 PHL M 1969-03/20 103 177

Address
 419 TAAL ST AYALA ALABANG VILLAGE,
 MARIKINA CITY

License No. Expiration Date Agency Code
 802-84 030998 2023/03/20 N49

Sex of Issue Eye Color
 M BROWN
 Height of Issue
 177 cm A

[Signature]
 Signature of Licensee


[Signature]
 EDGAR C. SALVANTE
 Assistant Secretary

III. OTHER INFORMATION:
 I. PHIL. NOTIFICATION: ANY CHANGE
 IV. IN CASE OF EMERGENCY NOTIFY:
 NAME/CONTACT NAME/PHONE
 ADDRESS/PHONE ADDRESS/PHONE
 TEL. NO./CONTACT NO.

- A. EXPIRES ON 2023/03/20
- B. EXPIRES ON 2023/03/20
- C. EXPIRES ON 2023/03/20
- D. EXPIRES ON 2023/03/20
- E. EXPIRES ON 2023/03/20
- F. EXPIRES ON 2023/03/20
- G. EXPIRES ON 2023/03/20
- H. EXPIRES ON 2023/03/20
- I. EXPIRES ON 2023/03/20
- J. EXPIRES ON 2023/03/20
- K. EXPIRES ON 2023/03/20
- L. EXPIRES ON 2023/03/20
- M. EXPIRES ON 2023/03/20
- N. EXPIRES ON 2023/03/20
- O. EXPIRES ON 2023/03/20
- P. EXPIRES ON 2023/03/20
- Q. EXPIRES ON 2023/03/20
- R. EXPIRES ON 2023/03/20
- S. EXPIRES ON 2023/03/20
- T. EXPIRES ON 2023/03/20
- U. EXPIRES ON 2023/03/20
- V. EXPIRES ON 2023/03/20
- W. EXPIRES ON 2023/03/20
- X. EXPIRES ON 2023/03/20
- Y. EXPIRES ON 2023/03/20
- Z. EXPIRES ON 2023/03/20

- A. EXPIRES ON 2023/03/20
- B. EXPIRES ON 2023/03/20
- C. EXPIRES ON 2023/03/20
- D. EXPIRES ON 2023/03/20
- E. EXPIRES ON 2023/03/20
- F. EXPIRES ON 2023/03/20
- G. EXPIRES ON 2023/03/20
- H. EXPIRES ON 2023/03/20
- I. EXPIRES ON 2023/03/20
- J. EXPIRES ON 2023/03/20
- K. EXPIRES ON 2023/03/20
- L. EXPIRES ON 2023/03/20
- M. EXPIRES ON 2023/03/20
- N. EXPIRES ON 2023/03/20
- O. EXPIRES ON 2023/03/20
- P. EXPIRES ON 2023/03/20
- Q. EXPIRES ON 2023/03/20
- R. EXPIRES ON 2023/03/20
- S. EXPIRES ON 2023/03/20
- T. EXPIRES ON 2023/03/20
- U. EXPIRES ON 2023/03/20
- V. EXPIRES ON 2023/03/20
- W. EXPIRES ON 2023/03/20
- X. EXPIRES ON 2023/03/20
- Y. EXPIRES ON 2023/03/20
- Z. EXPIRES ON 2023/03/20

Plate Number
 057281296



[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

PURCHASE ORDER

City Government of Muntinlupa

Supplier : **SMARTGUARD PHILIPPINES, INC.**

P.O. No.: **030823**

Address : **Bacolod**

Date : **November 15, 2023**

Mode of Procurement : **Public Bidding**

Gentlemen:

Please furnish and/or deliver to this office the following articles subject to the terms and conditions contained herein:

Place of delivery : _____

Delivery Term : _____

Date of delivery : _____

Payment Term : _____

Item No.	Quantity	Unit	Description	Unit Cost	Amount
1	1	unit	ALS AMBULANCE Base Vehicle : BRAND NEW AMBULANCE (ADVANCED) TECHNICAL SPECIFICATIONS: Overall(LxWxH): 5,915 x 1,950 x 2,280 mm, Wheelbase: mm 3860mm Engine Type: 2.8L, 4 Cylinders In-line Type 16-Valve DOHC Engine Displacement: 2755cc Maximum Output: 163 ps / 3,600 rpm Maximum Torque: 420 Nm/ 1,400 ~ 2,200 rpm Transmission: Dash Mounted, AT Fuel Capacity: 70L/Toyota/Spencer/Feniex/Weinmann/Japan/Italy/USA/Germany PATIENT TRANSPORT CONVERSION WITH SUPPLY OF EQUIPMENT AND ACCESSORIES: Fully customized ambulance with the following features;	11,687,500.00	11,687,500.00
2	1	set	AMBULANCE SUPPLIES AND EQUIPMENT SELF LOADING COT – front & rear fasteners, CE Certified Material : Stainless Steel, Aluminum and Polyethylene Construction : Fully Welded Frame Work, Crash Certification : 10G Length : 1980mm, Shortened length : 1660 mm, Width : 580 mm Weight(Without standard equipment):49kg, Loading capacity:250kg Wheels : 200 mm diameter, front and rear auto-directional Height loading carriage wheel :From 52 to 70 cm Frame material : Stainless Steel, Back Material : Polyethylene Side bars length : 680 mm, Side bars Height : 200 mm Color coded hand controls, Adjustable backrest Anti shock positions and Trendelenburg : between 0 and 10 ° Twist system front wheels which makes the front wheel pivot for added maneuverability, Brakes on rear wheels, Foldable side bars/safety bars, Adjustable heights system from 580mm to 680mm, Foldable loading carriage, Standard Accessories:2Pcs Black reflex metal belts 1 pc Black PVC water tight anatomic mattress 1 pc Forward fastener, 1 pc Rear fastener, 1 pc PE patient board page 1 of 12		

Total Amounts in Words: _____

In case of failing to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Confirme: **SMARTGUARD PHILIPPINES, INC.**

Signature over printed name

12-4-23

Date

Very Truly yours,

Mayor ROZANO RUFINO B. BIAZON

Authorized Official

(In case of Negotiated Purchase pursuant to Section 369 (a) of RA7160 this portion must be accomplished)

Approved to be purchased thru Negotiated Purchas per Sangguniang Res. No.: _____

Certified Correct: _____

Secretary of the Sanggunian

Requesting Office/Dept.

Authorized Official

Funds Available : _____

Amount: _____

R.O. No.: _____

Chief Account

11/26/23

PURCHASE ORDER

City Government of Muntinlupa

Supplier : SMARTGUARD PHILIPPINES, INC.

P.O. No. : 30823

Address : Bacolod

Date : November 15, 2023

Mode of Procurement : Public Bidding

Gentlemen :

Please be furnish this office the following articles subject to the terms and condition contain herein:

Place of delivery : _____

Delivery Term : _____

Date of delivery : _____

Payment Term : _____

Item No.	Quantity	Unit	Description	Unit Cost	Amount
3	1	pc	Aluminum Scoop Stretcher, CE Certified; 3 Blade design, Material : Aluminum, Loading Capacity : 150kg, Weight : 7.9Kg Shortened Length : 1660mm, Intermediate Length 1 : 1780mm; Intermediate Length 2 : 1900mm; Intermediate Length 3: 2050mm Folded Length : 1190mm; Thickness Folded : 70mm; Thickness Opened : 65mm; Width : 440mm		
4	1	set	Spinal Board, Integrated adult and pediatric spinal board CE Certified; Material : PE, PVC, Nylon, Dimensions Length : 1830mm; Width : 445mm; Thickness : 60mm No. of Handles : 14, Load Capacity : 140kgs Weight : 9.2kgs (Including pediatric board) Pediatric Board Dimensions: Length : 1195 mm; Width : 320mm; Thickness : 45mm, Pediatric Spineboard No. of Handles : 10 Pediatric Spineboard Weight : 2.2kg		
5	1	set	INTEGRATED ADULT/PEDIA HEAD IMMOBILIZER Convertible Adult/Pedia Head Immobilizer, CE Certified; Material: PE, Nylon, TPU Attachment points : 4, Overall Dimension : 380 x 265 x 180 mm Pediatric Pillow Dimension : 190 x 70 x 120mm Base Weight : 450g; Adult Pillow Weight : 1060g; Pediatric Pillow Weight : 560g, Cushion specifications: with auricle inspection and rigid cushions, Height : 170mm for adult, 125mm for pedia; Weight : Total weight (adult + pedia) 2080g		
6	1	pc	Reflective universal spider straps system for spine boards for ADULT Adult Strap Technical Data, CE Certified; Material: Nylon-Polypropylene, Width of Strap: 53mm, No. of Connections: 10 V Tape Length: 250mm(min)/ 520mm(max) Transversal Tape 1 Length: 750mm(min)/1350mm(max) Transversal Tape 2 Length: 600mm(min)/1250mm(max) Transversal Tape 3 Length: 550mm(min)/1110mm(max) Transversal Tape 4 Length: 480mm(min)/820mm(max) Central Belt Length : 1200, Weight : 630g Color Coded Straps with reflective inserts for added visibility		
7	1	Pc	4 Transversal Tapes, 3 are removable Reflective universal spider straps system for spine boards for PEDIA		

page 2 of 12

Total Amounts in words: _____

In case of failure to make the full delivery within the the specified above, a penalty of one-tenth(1/10) of one percent for every day of delay shall be imposed.

Conforme:

BOB JAMES SWONG
SMARTGUARD PHILIPPINES, INC.
 Signature over printed name

Very Truly yours,

Mayor ROZZANO RUFINO B. BIAZON
 Authorized Official

12-4-23
 Date

(In case of Negotiated Purchase pursuant to Section 369 (a) of RA7160 this portion must be accomplished.)

Approved to be purchase thru Negotiated Purchase per Sangguniang Res. No. : _____

Certified Correct : _____

Secretary of the Sanggunian

Requesting Office/Dept.

Authorized Official

Funds Available : _____

Amount : _____

R.O. No. : _____

Chief Account

PURCHASE ORDER

City Government of Muntinlupa

Supplier : SMARTGUARD PHILIPPINES, INC. P.O. No. : 30823
 Address : Bacolod Date : November 15, 2023
 Mode of Procurement : Public Bidding

Gentlemen :
 Please be furnish this office the following articles subject to the terms and condition contain herein:

Place of delivery : _____ Delivery Term : _____
 Date of delivery : _____ Payment Term : _____

Item No.	Quantity	Unit	Description	Unit Cost	Amount
8	1	unit	Pedia Strap Technical Data, CE Certified; Material : Nylon Central Belt Length : 750mm, Minimum Length "V" belt : 420mm Maximum Length "V" belt : 610mm, Minimum Width : 520mm Maximum Width : 610mm, Integrated Measuring Tape : 1500mm Weight : 460g, Features: Sliding Transversal Bands with Reflective Inserts, Integrated measuring tape for measurement of the patient Transport Chair/Stair Chair with 10G FASTENER Transport/Stair chair with four wheels, CE Certified; Materials : AL, Steel, PU, PVC, Seat/Back Rest Material : double layered anti-scratch polyethylene Length with closed handles 710mm, Length with opened handles : 1080mm, Width: 485mm Height Deployed: 905mm, Dimension Folded: 270 x 485 x 915mm Rear Wheels Diameter: 150mm, Front Wheels Diameter: 100mm Weight: 9.4kg (currently lightest in the world) Loading Capacity : 180kg, PVC Sheets for easy sanitation 2 Rear Foldable Handles to save space inside the vehicle Zero maintenance pressure released telescopic handle Folding foot rest, Self positioning foot rest with brakes 10G Certified when used with the 4BELL MAX, 4BELL MAX 10G fastener for chair 4BELL, Material : Polyethylene, Nylon, AL Dimension : 505 x 450 x 220mm, Weight : 1.8kg		
9	1	set	Collar Kit with bag, CE Certified; Material : PE, Nylon Sizes Included : XS, S, M, L , Total Weight (Kit) : 545g; Bag Dimension : 420 x 330mm		
10	1	kit	SPLINT – Rigid splints with flexible internal structure CE Certified; Material: Neoprene, AL, Nylon Types of Splints, Sizes & Weight:, Leg: 580 x 450 mm ; 510 g Arm: 590 x 280 mm ; 440 g, Forearm: 390 x 300 mm ; 270 g Wrist: 310 x 240 mm ; 230 g, Elbow/Ankle: 540 x 280 mm ; 390 g Total Kit Weight : 2kg, Standard Accessory: Transport Bag Dimension 620 x 310mm page 3 of 12		

Total Amounts in words: _____

In case of failure to make the full delivery within the the specified above, a penalty of one-tenth(1/10) of one percent for every day of delay shall be imposed.

Conforme: BOB JAMES WONG
SMARTGUARD PHILIPPINES, INC.
 Signature over printed name
12-4-23
 Date

Very Truly yours,
ROZZANO RUFINO B. BIAZON
 Authorized Official

(In case of Negotiated Purchase pursuant to Section 369 (a) of RA7160 this portion must be accomplished.)
 Approved to be purchase thru Negotiated Purchase per Sangguniang Res. No. : _____
 Certified Correct : _____
 Secretary of the Sanggunian

Requesting Office/Dept. _____
 Authorized Official

Funds Available : _____
 Amount : _____
 R.O. No. : _____
 Chief Account

PURCHASE ORDER

City Government of Muntinlupa

Supplier : SMARTGUARD PHILIPPINES, INC.

P.O. No. : 30823

Address : Bacolod

Date : November 15, 2023

Mode of Procurement : Public Bidding

Gentlemen :

Please be furnish this office the following articles subject to the terms and condition contain herein:

Place of delivery : _____

Delivery Term : _____

Date of delivery : _____

Payment Term : _____

Item No.	Quantity	Unit	Description	Unit Cost	Amount
11	1	set	Extrication/spine immobilization, CE Certified; Dimension : 830mm, L x 900mm W x 25mm at thickest poin		
12	1	set	Belts Length : 74cm; Weight without bag : 2.60kg; Weight with bag : 2.85kg, Loading Capacity : 230kg Traction/Immobilization Splint (ADULT) SPECIFICATIONS: Minimum length (1) : 89 0 ± 10 mm; Maximum length (1) : 1350 ± 10 mm, Width : 210 mm; Base width : 230 mm Leg support zone width : 165mm, Traction belt length: from 0 to 500mm, Slope:10° (variable depending on the extention) Materials : Steel, Al, Nylon, Weight : 1,78± 0,1 kg		
13	1	set	Bag dimensions : 990x 330mm, Bag weight : 520 g Portable Suction Device - Portable suction device with 10G wall fixing with auto recharger CE Certified; 10G Compliant with auto charging wall mount with fall protection system Dimensions : 200x225x285 mm, Dimensions with mount : 200 x 250 x 320 mm, Suction device weight : 2.4kg Mount/Fixation Weight:.8kg,Vacuum Range : from 50 to 555mmHg Free flow Suction : 32L/min, Noise level : 70db Input voltage: 100-240 VAC 47~63HZ .75AMax or 12VDC 33W Max IP Grade : IP12, Battery : 12V DC Ni-MH, Operating Time : 30 min. On, 30 min. Off, Battery Recharging Time to full Capacity : 5h Vase Capacity: 1000ml autoclavable, Patient Tube Length: 1.8m Operating Temperature : From 0°C to +47°C, Storage Temperature: From -40°C to +70°C, with UNI EN 1789 certification Compliant with ISO 100079-1, Standard Accessories : 10G mount with charging system, Battery, 1000ml autoclavable canister 1.8m patient tube, Shoulder strap for easy carrying Shockproof lung ventilator, Technical data Materials : Al, Steel, Brass, PE, Dimensions: 330x177x210± 20 mm Weight : 3,65 ± 0,2 kg, Alarms : High pressure – Low pressure – Apnea – Pneumatic supply – Low battery Alarms sound press. Level : 80 ± 10db, Audio mute time : 100s, Frequency : From 5 to 40 bpm		
14	1	pc	page 4 of 12		

Total Amounts in words: _____

In case of failure to make the full delivery within the the specified above, a penalty of one-tenth(1/10) of one percent for every day of delay shall be imposed.

Conforme:

BOB JAMES WONG
SMARTGUARD PHILIPPINES, INC.

Signature over printed name

12-11-23
Date

Very Truly yours,

Mayor ROZZANO RUFINO B. BIAZON

Authorized Official

(In case of Negotiated Purchase pursuant to Section 369 (a) of RA7160 this portion must be accomplished.)

Approved to be purchase thru Negotiated Purchase per Sangguniang Res. No. : _____

Certified Correct : _____

Secretary of the Sanggunian

Requesting Office/Dept.

Authorized Official

Funds Available : _____

Amount : _____

R.O. No. : _____

Chief Account

PURCHASE ORDER

City Government of Muntinlupa

Supplier : SMARTGUARD PHILIPPINES, INC. P.O. No. : 30823
 Address : Bacolod Date : November 15, 2023
 Mode of Procurement : Public Bidding

Gentlemen :
 Please be furnish this office the following articles subject to the terms and condition contain herein:

Place of delivery : _____ Delivery Term : _____
 Date of delivery : _____ Payment Term : _____

Item No.	Quantity	Unit	Description	Unit Cost	Amount
15	1	pc	Flow : From 2 to 20 L/min, Trigger : From -2 to -12 mbar Overpressure valve adjustment: From 20 to 60 cmH2O I/ERatio : 1:2, O2 Concentration : 60% or100% Manometer: From -20 to +80 mbar Pneumatic connection standard : UNI, IP protection : IP24, Classification : Class II or internally powered, Power supply : External by 12V cigarette lighter or approved AC/DC adapter 100/240VAC 50-60Hz (Optional) Internal rechargeable battery Ni-Mh Battery operating time : About 3 hours, Applied part : Type BF Pneumatic supply : From 280 to 600 kPa Non-rebreathing valve : 60cmH2O, Reference standards EN 794-3; EN 1789; EN 60601-1; EN 60601-1-2; EN 60601-1-8 UN/ECE Regulation 10 –Approval number E24 10R – 041974 Aneroid sphygmomanometer with large dial and protection and Sprague Rappaport Stethoscope CE Certified; Material : PE, Nylon, Rubber, AL, Extended cuff dimension : 530x 145mm, Rubber protection dimension : 220x150 mm Dial diameter : 130 mm; Pipe length : 50cm; Spiral pipe length : from 15 to 172cm, Manometer range : 0-300 mmHg Weight:1.1kg,MD class Im CE marked according to Dir. 93/42/CEE Conforms to UNI EN ISO 81060-1, Highly Visible Dial with Rubber Protection, Technical data : Stethoscope Bell maximum diameter : 45mm; Bell minimum diameter : 31 mm Tubes length : 56 cm; Weight : 235g		
16	1	set	REGULATOR with HUMIDIFIER GROUP Chromed brass structure Weight: 1,2 kg ±10%, Functioning temperature: from -20 to +50 °C Humidifier Group Specifications: Technical data Flowmeter with probe, Dimensions 85x150x35 mm Nominal pressure 350 kPa, Flow From 0 to 15 l/min Deliverable gas Oxygen, Materials PC, anodized Al, Brass Humidifier, Dimensions ø 70x135 mm, Max. volume 130 ml Output hose ø 7 mm page 5 of 12		

Total Amounts in words: _____ -

In case of failure to make the full delivery within the the specified above, a penalty of one-tenth(1/10) of one percent for every day of delay shall be imposed.

Conforme: BOB JAMES WONG
SMARTGUARD PHILIPPINES, INC.
 Signature over printed name
12-4-23
 Date

Very Truly yours,
Mayor ROZZANO RUFINO B. BIAZON
 Authorized Official

(In case of Negotiated Purchase pursuant to Section 369 (a) of RA7160 this portion must be accomplished.) Approved to be purchase thru Negotiated Purchase per Sangguniang Res. No. : _____ Certified Correct : _____ Secretary of the Sanggunian	Requesting Office/Dept. _____ Authorized Official	Funds Available : _____ Amount : _____ R.O. No. : _____ Chief Account
	_____ Authorized Official	_____ Chief Account

PURCHASE ORDER
City Government of Muntinlupa

Supplier : SMARTGUARD PHILIPPINES, INC.

P.O. No. : 30823

Address : Bacolod

Date : November 15, 2023

Mode of Procurement : Public Bidding

Gentlemen :

Please be furnish this office the following articles subject to the terms and condition contain herein:

Place of delivery : _____

Delivery Term : _____

Date of delivery : _____

Payment Term : _____

Item No.	Quantity	Unit	Description	Unit Cost	Amount
17	1	pc	Max pressure 500 kPa, Materials PC, Al Max flow 20 L/min Overall weight 250 g AUTOMATIC EXCHANGE VALVE WITH WALL PANEL/OUTLET OXYGEN SYSTEM, Technical Data Dimensions 175x55x30 mm Materials Anodized aluminum, Steel, Vyton Input/output connection F1/4"G, Pressure switches connection F 1/8"G Operating pressure 350 ± 50 kPa, Installation holes 3 x ø5,5 mm Weight 0,6 kg		
18	1	set	TRAUMA BAG (FULLY STOCKED) Contents: 1 -Pot Belly Stethoscope 1 - Aneroid Sphygmomanometer (BP cuff w/gauge) 1 - CPR mask w/one-way valve (adult/pediatric size) 1 - Foil Baby Bunting, 1 - 5½" Bandage Scissors 1 - Diagnostic Penlight, 1 - Kelly 5½" Straight Forceps 1 - CPR Face Shield with 2 Gloves (medium, latex) 1 - Bite Stick, 1 - Emergency Airway Kit (set of 6: 40-110mm) 1 - Instant Cold Pack 1 - 2" x 2" Koolaburn® Burn Dressing 1 - 4" x 4" Koolaburn® Burn Dressing 1 - Glucose Gel Tube, 1 - Wire Splint, 1 - Tourniquet 1 - Seat Belt Cutter, 16 - 4" x 4" Sterile Gauze Pads 10 - 1 x 3" Sheer Bandages, 10 - 3/4 x 3" Sheer Bandages 10 - 2 x 4 1/2" Bandages, 10 - Fingertip Bandages 10 - Knuckle Bandages, 2 - 2" Stretch gauze Roll 2 - 3" Stretch gauze Roll, 2 - 6" Stretch gauze Roll 6 - 5" x 9" Surgical Dressings/ Abdominal pads 1 - Multi-Trauma Dressing, 10 - Alcohol Prep Pads 10 - PVP Prep Pads, 4 - Oval Eye Pads, 2 - 1" Cloth Tape 4 - Triangular Bandages w/Pins, 20 - Ammonia Inhalants 4 - Sting Pads		
19	1	set	Defibrillation, monitoring and ventilation in one Technical Data: Device dimensions (W x H x D): 206mm x 137mm x 130 mm, Product class according to Directive 93/42/EEC: IIB Weight, incl. Battery: 2.2 kg, Operating conditions Temperature range: 0°C to 50°C, Humidity: 0% RH to 95% RH		

page 6 of 12

Total Amounts in words: _____

In case of failure to make the full delivery within the the specified above, a penalty of one-tenth(1/10) of one percent for every day of delay shall be imposed.

Conforme:

SMARTGUARD PHILIPPINES, INC.

Signature over printed name

12-4-23

Date

Very Truly yours,

Mayor ROZZANO RUFINO B. BIAZON

Authorized Official

(In case of Negotiated Purchase pursuant to Section 369 (a) of RA7160 this portion must be accomplished.)

Approved to be purchase thru Negotiated Purchase per Sangguniang Res. No. : _____

Certified Correct : _____

Secretary of the Sanggunian

Requesting Office/Dept.

Authorized Official

Funds Available : _____

Amount : _____

R.O. No. : _____

Chief Account

PURCHASE ORDER

City Government of Muntinlupa

Supplier : SMARTGUARD PHILIPPINES, INC. P.O. No. : 30823
 Address : Bacolod Date : November 15, 2023
 Mode of Procurement : Public Bidding

Gentlemen :
 Please be furnish this office the following articles subject to the terms and condition contain herein:

Place of delivery : _____ Delivery Term : _____
 Date of delivery : _____ Payment Term : _____

Item No.	Quantity	Unit	Description	Unit Cost	Amount
			Air pressure: 533 hPa to 1100 hPa, Storage conditions Device temperature range with battery and without pads: -30°C (maximum 48 hrs) to 70°C Temperature range with pads: 0°C to 50°C Humidity: 0% RH to 95% RH without condensation Operating time: Approx. 6 hours monitoring Power supply: 12 to 15 volts Charging time from 0 to 95%: Approx. 3.5 h, Display 5.7" TFT color display, Resolution: 320 pixels x 240 pixels Information Displayed ECG curves: I, II, III, avR, avL, avF ECG lead via defibrillation electrodes Heart rate, pulse rate, oxygen saturation, SpO2 plethysmogram Time, duration of use, time following last analysis (AED and manual mode only) Number of shocks administered, Battery capacity Causes of alarm, Instructions for carrying out cardiopulmonary resuscitation, Defibrillation energy ECG monitoring Patient connection: 4-pole ECG cable Heart rate: 30 to 250 /min, Feed rate: 25, 50 mm/s Saving of operating data, Internal memory: approx. 7 h SD card (2 GB): approx. 150 h, Defibrillator Wave shape: biphasic, current-limited, impedance-compensated Energy level: can be set from 1 J to 200 J Charging duration: approx. 8 s (200 J) Shock sequence: can be programmed: constant or escalating Patient impedance: maximum 200 Ω, AED mode, Report: ERC 2015, Duration of analysis: 8 s Voice prompts adjustable: only applies to defibrillation or cardiopulmonary resuscitation, incl. defibrillation Metronome, adjustable: 100 /min., 110 /min., 120 /min., deactivated Duration between cardiac rhythm analyses can be set: 75 to 300 s ECG display can be set: Pad lead Plethysmogram: can be set Alarm system Alarm limits regulated: heart rate (30 to 250 /min), pulse rate (30 to 250 /min), oxygen saturation (85 to 99%) Pausing page 7 of 12		

Total Amounts in words: _____

In case of failure to make the full delivery within the the specified above, a penalty of one-tenth(1/10) of one percent for every day of delay shall be imposed.

Conforme: BOB JAMES WONG
SMARTGUARD PHILIPPINES, INC.
 Signature over printed name
12-4-23
 Date

Very Truly yours,
Mayor ROZZANO RUFFINO B. BIAZON
 Authorized Official

(In case of Negotiated Purchase pursuant to Section 369 (a) of RA7160 this portion must be accomplished.) Approved to be purchase thru Negotiated Purchase per Sangguniang Res. No. : _____ Certified Correct : _____ Secretary of the Sanggunian	Requesting Office/Dept. _____ Authorized Official	Funds Available : _____ Amount : _____ R.O. No. : _____ Chief Account
--	--	--

PURCHASE ORDER

City Government of Muntinlupa

Supplier : SMARTGUARD PHILIPPINES, INC. P.O. No. : 30823
 Address : Bacolod Date : November 15, 2023
 Mode of Procurement : Public Bidding

Gentlemen :
 Please be furnish this office the following articles subject to the terms and condition contain herein:

Place of delivery : _____ Delivery Term : _____
 Date of delivery : _____ Payment Term : _____

Item No.	Quantity	Unit	Description	Unit Cost	Amount
20	1	pc	of audio alarm output, adjustable: 1, 2, 5,10 minutes or permanently Alarm sound cancellation Start mode Regulated AED mode, monitor mode Classification acc. to EN 60601-1 Type of protection against elec. Shock: protection class II Degree of protection against elec. shock SpO2/ECG/Pad: protection class BF/CF/BF Degree of protection against penetration of dust/water: IP54, Standards used EN 60601-1, EN 1789, RTCA DO 160 F, EN 60601-2-4, EN 60601-2-27, EN 60601-1-8 ELECTRICAL SHOCK ABSORBING STRETCHER SUPPORT Standard Features The hydro-pneumatic suspension automatically adjuststo the weight of the patient. The platform can be moved electronically and locked at the minimum height for CPR procedures. The support can be inclined on board the ambulance as well as during loading and unloading with automatic horizontal repositioning. The console for movement control can be multiple and can be installed at any point on the ambulance's floor and/or wall. The space dedicated to the housing of immobilization systems (spinal board, vacuum mattress or scoop stretcher) has been equipped with an innovative system to ensure their stability. Electric pack (Led light and 12V cigarette lighter socket) Technical data: Length (control panel not considered) 2010mm Width 600mm, Minimum height 375mm, Maximum height 580mm Sideways movement 230 ± 10 mm, Tilt front angle Max 14° Tilt back angle Max 15°, Materials Al, Steel, PE, Nylon Loading capacity 300kg, Weight 110 ± 10kg, Reference standard 10g tested according to EN1789:2007+A2:2014, EN 1865-5:2012 ECE-R-10		
21	1	set	EMERGENCY AUDIO AND VISUAL WARNING SYSTEM 60" LED LIGHT BAR – R/W, All weather extremely bright low profile LED lightbar, Specifications: Interchangeable 180° page 8 of 12		

Total Amounts in words: _____

In case of failure to make the full delivery within the the specified above, a penalty of one-tenth(1/10) of one percent for every day of delay shall be imposed.

Conforme: BOB JAMES HONG
SMARTGUARD PHILIPPINES, INC.
 Signature over printed name
12-4-23
 Date

Very Truly yours,
Mayor ROZZANO RUFINO B. BIAZON
 Authorized Official

(In case of Negotiated Purchase pursuant to Section 369 (a) of RA7160 this portion must be accomplished.)

Approved to be purchase thru Negotiated Purchase per Sangguniang Res. No. : _____
 Certified Correct : _____
 Secretary of the Sanggunian

Requesting Office/Dept. _____

 Authorized Official

Funds Available : _____
 Amount : _____
 R.O. No. : _____

 Chief Account

PURCHASE ORDER

City Government of Muntinlupa

Supplier : SMARTGUARD PHILIPPINES, INC.

P.O. No. : 30823

Address : Bacolod

Date : November 15, 2023

Mode of Procurement : Public Bidding

Gentlemen :

Please be furnish this office the following articles subject to the terms and condition contain herein:

Place of delivery : _____

Delivery Term : _____

Date of delivery : _____

Payment Term : _____

Item No.	Quantity	Unit	Description	Unit Cost	Amount
22	6	pcs	or 40° light spread optics per module 360° unobstructed lighting 16 flash patterns for single color Modern slim line design Capabilities: -3 programmable modes -Rear Directional - Dimming -Front and Rear Cutoff -Cruise Mode - Takedown, Alley and Work Light -Flood Mode for dual color -Optional Stop-Tail-Turn, Rugged weather-resistant enclosure Certifications SAE J595, CT13, SAE J1113-11, Input voltage 12VDC Current Draw: 15A, Dimensions: 1.6" x 60" L x 11.8" W 156 high power 4 Watt Cree LED's, Cable Harness length: 15 Feet SURFACE MOUNT WARNING LIGHTS – R, All weather surface mounted warning lights, 11 flash patterns for single color Two programmable modes, Flood pattern capable for dual color 4 bracket options: -Rotating -License-Plate -Single L-Bracket - Double L-Bracket, Syncs with other light heads Ultra-rugged metal housing, Rugged weather-resistant enclosure Available brake, turn and steady on patterns Includes surface mount bezel and protective, rubber mounting pad Certifications SAE J595, CT13, SAE J1113-11, Input voltage 12VDC Current Draw: 0.75A, Dimensions 1.17" H x 5.22" L x 0.88" Single Color: 6 high power 4 Watt Cree LED's Cable Harness length: 10 Inches		
23	4	pcs	WIDE 7X 3 SURFACE MOUNT WARNING LIGHTS – R All weather surface mounted multi function warning lights Dimensions with bezel: 3.75" H x 8" L x 1" W Dimensions without bezel: 3.15" H x 7.15" L x 1" W Rugged weather-resistant enclosure Integrated 50% dim mode capability, Integrated brake light mode capability Integrated tail light mode capability, Integrated turn light mode capability, SAE J595 Certified, Input voltage 12VDC 12 high-power CREE 4 watt LEDs Provides 180 degree light spread Available with up to 20+ patterns, Synchronizes with up to 50 other modules ITEM D. SIREN and PUBLIC ADDRESS SYSTEM 200W Siren page 9 of 12		

Total Amounts in words: _____

In case of failure to make the full delivery within the the specified above, a penalty of one-tenth(1/10) of one percent for every day of delay shall be imposed.

Conforme: BOB JAMES WONG
SMARTGUARD PHILIPPINES, INC.
 Signature over printed name
12-4-23
 Date

Very Truly yours,
Mayor ROZZANO RUFINO B. BIAZON
 Authorized Official

(In case of Negotiated Purchase pursuant to Section 369 (a) of RA7160 this portion must be accomplished.)
 Approved to be purchase thru Negotiated Purchase per Sangguniang Res. No. : _____
 Certified Correct : _____
 Secretary of the Sanggunian

Requesting Office/Dept. _____

 Authorized Official

Funds Available : _____
 Amount : _____
 R.O. No. : _____

 Chief Account

PURCHASE ORDER

City Government of Muntinlupa

Supplier : SMARTGUARD PHILIPPINES, INC. P.O. No. : 30823
 Address : Bacolod Date : November 15, 2023
 Mode of Procurement : **Public Bidding**

Gentlemen :
 Please be furnish this office the following articles subject to the terms and condition contain herein:

Place of delivery : _____ Delivery Term : _____
 Date of delivery : _____ Payment Term : _____

Item No.	Quantity	Unit	Description	Unit Cost	Amount
24	1	pc	Specifications: Dual tone capability, 200 watt power output 21 programmable tones, Microphone included for PA functionality Functions with all existing controllers and switch panels Capabilities: -Radio Rebroadcast -Horn Ring -Park Kill -6 Programmable Modes Integrated push button for tone selection Kit Includes: RJ45 Cable and microphone mounting set, Dimensions: 6" L x 6.6" W x 2.5" H Certifications SAE J1849, SAE J1113-11, Mic Cable Length: 15 Feet Voltage 12VDC Current Draw: 20A, 100w SPEAKER/SIREN Specifications: 124dB sound output 100Watts 85 degree sound dispersion Lightweight durable polycarbonate frame Compact design to fit behind a grille Includes L-Shaped Mounting Bracket Rugged weather-resistant enclosure Functions with any existing siren Dimensions: 3" H x 7" L x 7" L, Impedance of 11 Ohms Neodymium Magnet, Certifications: SAE J1849 Frequency response of 600-2700Hz LOW FREQUENCY SIREN, Specifications: Unique design combines siren, speaker and amplifier in a single unit Input Voltage: 12 Volts DC Sound Output: 110dB, Frequency Output: 732hz - 4KHz Current Draw: 10 Amps, Frequency Response: 182Hz - 1KHz 2 programmable modes, 7 integrated tones Park-Kill Weatherproof and corrosion-resistant, Included universal bracket mount, Vehicle specific brackets available		
25	1	pc	FULL SIZE CONTROLLER WITH DATA LINK 18 programmable buttons: -On/Off -Momentary -Timer Capabilities: -3 position slide switch -2 channel Integrated wigwag -20 programmable 10 amp outputs -Programmable Ignition activation - Programmable Night mode activation - Programmable Day mode activation -5 programmable inputs Computer programmable using a USB port -Free software downloads Green backlit LEDs for night time use Red backlit LEDs during button activation page 10 of 12		

Total Amounts in words: _____

In case of failure to make the full delivery within the the specified above, a penalty of one-tenth(1/10) of one percent
 for every day of delay shall be imposed.

Conforme: BOB JAMES WONG
SMARTGUARD PHILIPPINES, INC.
 Signature over printed name
12-4-23
 Date

Very Truly yours,
Mayor ROZZANO RUFINO B. BIAZON
 Authorized Official

(In case of Negotiated Purchase pursuant to
 Section 369 (a) of RA7160 this portion must
 be accomplished.)

Approved to be purchase thru Negotiated
 Purchase per Sangguniang Res. No. : _____

Certified Correct : _____
 Secretary of the Sanggunian

Requesting Office/Dept.

Authorized Official

Funds Available : _____
 Amount : _____

R.O. No. : _____

Chief Account

PURCHASE ORDER

City Government of Muntinlupa

Supplier : SMARTGUARD PHILIPPINES, INC.

P.O. No. : 30823

Address : Bacolod

Date : November 15, 2023

Mode of Procurement : Public Bidding

Gentlemen :

Please be furnish this office the following articles subject to the terms and condition contain herein:

Place of delivery : _____

Delivery Term : _____

Date of delivery : _____

Payment Term : _____

Item No.	Quantity	Unit	Description	Unit Cost	Amount
26	1	set	Universal compatible with any light or siren product Kit Includes: U-Shaped Mounting Bracket, USB wire and 2 RJ45 cables, Short circuit protection Over temperature protection Dimensions-Relay: 6.33" L x 3.3" W x 1.48" H Dimensions-Controller: 6.8" L x 3.5" W x 1.3" H RJ45 Cable Length: 15 Feet, Voltage 12VDC, Certifications: SAE J1113-11, Max Current Output: 60A AMBULANCE ONBOARD BATTERY AUTO CHARGING WITH DATA LOGGING CAPABILITY AND AUTOMATIC RELEASE POWER CONNECTOR Purpose designed for emergency vehicles Charger Technical Specifications Input Voltage: 115V or 230V A.C. 50/60, Hz Input Current: 3.4@ 230V or 6.2A @ 110V, Output Voltage: 12V or 24V Output Current: 30A or 15A, Dimensio(n)s(mm): 294L x 151W x 80H Weather resistant plugs with display, Connector Rating: 230V AC, 15A or 110V AC, 15A, Operating Voltage: 12V or 24V Weight: 0.4kg		
27	1	pc	DUAL BATTERY SYSTEM, Features : Automatic Jump Start, Over-Voltage protection, Intelligent ECU, Technical Specifications: Voltage : 12V, Aux Banks : 1 Current : 200A Settings : Adjustable Weight : .70kg, Dimension : 90 x 65 x 105 Including Supply of One (1) Battery		
28	1	lot	ADDITIONAL SUPPLIES Decals: Printing and installation of custom decals and markings using high quality outdoor vinyl's and outdoor reflective sheets, Tint: Installation of high-quality window films, TERMS AND CONDITIONS: • Base vehicle must be brand new and NO prior registrations. Vehicle shall be registered to the LGU. • To ensure technical compliance, after sales support and warranty. Bidders must provide manufactured issued product sheets for offers as part of technical requirements in the bidding documents showing technical compliance backed with distributorship certificates with warranty commitment for the following critical ambulance equipment. Failure of page 11 of 12		

Total Amounts in words: _____

In case of failure to make the full delivery within the the specified above, a penalty of one-tenth(1/10) of one percent for every day of delay shall be imposed.

Conforme: BOB JAMES WONG
SMARTGUARD PHILIPPINES, INC.

Very Truly yours,
Mayor ROZANO RUFINO B. BIAZON
 Authorized Official

Signature over printed name
12-4-23
 Date

(In case of Negotiated Purchase pursuant to Section 369 (a) of RA7160 this portion must be accomplished.)

Approved to be purchase thru Negotiated Purchase per Sangguniang Res. No. : _____

Certified Correct : _____

Secretary of the Sanggunian

Requesting Office/Dept.

Authorized Official

Funds Available : _____

Amount : _____

R.O. No. : _____

Chief Account

