

### Republic of the Philippines CITY GOVERNMENT OF MUNTINLUPA **Bids and Awards Committee**

### **NOTICE TO PROCEED**

### ATS INFINITRADE SOLUTIONS OPC

Angeles Pampanga

Dear Sir / Madame:

The attached Contract Agreement having been approved, notice is hereby given ATS INFINITRADE SOLUTIONS OPC that the CONTRACT of the City Government of Muntinlupa for the "Supply & Delivery of Water Tanker to be used by Motorpool", shall commence effective FIVE (5) DAYS after acknowledging receipt hereof.

Upon receipt of this notice, you are responsible for performing the services under the terms and conditions of the Agreement and Schedule of Delivery.

Please acknowledge receipt and acceptance of this notice by signing both copies on the space provided below. Kindly keep one (1) copy and return the other copy to the Bids and Awards Committee Secretariat.

Very truly yours,

I acknowledge receipt of this Notice on March

Name of the Bidder or Representative Eugene S. Vergara

Authorized signature

City Government of Muntinlupa, 2nd Floor, Main Building, National Road, Barangay Putatan, Muntinlupa City

### Contract Agreement

THIS AGREEMENT made the \_\_\_\_\_ day for B 2 3 202420 \_\_\_\_\_ between CITY GOVERNMENT OF MUNTINLUPA of the Philippines (hereinafter called "the Entity") of the one part and ATS INFINITRADE SOLUTIONS OPC with address at Angeles Pampanga (hereinafter called "the Supplier") of the other part;

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly for the **Supply & Delivery of Water Tanker to be used by Motorpool** and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of **Eight Million Nine Hundred Ninety Four Thousand Five Hundred Fifty Pesos (P8,994,550.00)** (hereinafter called "the Contract Price").

### NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, viz.:
  - i. Philippine Bidding Documents (PBDs);
    - i. Schedule of Requirements:
    - ii. Technical Specifications;
    - iii. General and Special Conditions of Contract; and
    - iv. Supplemental or Bid Bulletins, if any
  - ii. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (*e.g.*, Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- iii. Performance Security;
- iv. Notice of Award of Contract; and the Bidder's conforme thereto; and
- v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.

- 3. In consideration for the sum of Eight Million Nine Hundred Ninety Four Thousand Five Hundred Fifty Pesos (P8,994,550.00) or such other sums as may be ascertained. ATS INFINITRADE SOLUTIONS OPC agrees to the Supply & Delivery of Water Tanker to be used by Motorpool in accordance with his/her/its Bid.
- 4. The City Government of Muntinlupa agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

Hon. ROZZANO	RUFIÑO	B. BIAZON
City Mayor	,	

**CITY GOVERNMENT OF MUNTINLUPA** 

ATS INFINITRADE SOLUTIONS OPC

Signed in the presence of:

### **ACKNOWLEDGEMENT**

REPUBLIC OF THE PHILIPPINES) CITY OF MUNTINLUPA

BEFORE ME, a Notary Public for and in Muntinlupa City, this \_\_\_\_\_ day pf 2 2024 personally appeared:

NAME

GOVERNMENT ISSUED ID NO.

Hon, ROZZANO RUFINO B. BIAZON

Driver's License N03-86-030998

Known to me and to me known to be the same persons who executed the foregoing instrument and acknowledged to me that the same is their own voluntary act and deed.

WITNESS MY HAND SEAL.

Book No. Series of 2024 Notarial Commission No. NC-24-037 Until December 31, 2025 MCLE Compliance No. VII-0029269

IBP Roll No. 36515/PPLM Chapter PTR No. MCF 10521763/Jan. 4, 2020/Municipa City 2<sup>™</sup> Fir. People's Conier Building, Muntiniupa Gity Hall Gity Generalment Of Islandiniupa



# DEPARTMENT OF TRANSPORTATION LAND TRANSPORTATION OFFICE NON-PROFESSIONAL DRIVER'S LICENSE



VERGARA, EUGENE SAN JOSE

| Nationality | Sax | Date of Birth | Woight (kg) | Helght(m) | PHL | M | 1999/06/22 | 94 | 1:68

Address 72 PULO ST LANDAYAN SAN PEDRO LAGUNA

EDGAR C GALVANTE
Assistant Secretary Conditions NONE

保護

### REPUBLIC OF THE PHILIPPINES ВЕРАКТМЕРТ ОГ ТКАНБРОСТАТІОН LAND TRANSPORTATION OFFICE





иот-глобеватону пиплаца гтовиав

as tolenes, Burg Horpe, Hickory Hom BIAZON, ROZZANO RUFINO BUNDAN

Heliconing Ser Community Weight (28) Heseinfind PHL AL 1969 P3/20 103 137

Adding 2

416 TAAL ST AVALA ALABANG VILLAGE, ричиндіва спу

The the 12 COUNTY Engineers 12 COUNTY 12 COUNT

Constitutes

EDITAR CAMBANTE

Superture the book

057291296

H CRUAH DONATION. 1981, HOTDONATE ANY CFLANI

In his his

## PURCHASE ORDER

## City Government of Muntinlupa

Address: Angeles, Pampanga  Date: February 26, 2024 / Mode of Procurement: Peblic Biddin Mode of Bidding of of Biddin	Supplier	: ATS INI	INITRAI	DE SOLUTIONS	OPC/	P.O. No.:	31306	
Please furnish and/or deliver to this office the following articles subject to the terms and conditions contained herein:  Place of delivery:  Date of delivery:  Nem No. Quantity  Unit  WATER TANKER 8000L CAPACITY TRUCK SPECIFICATIONS: Copine Disea; Truto-charged & Inter-cooled, 4 Cycle, Inline, 6 Cylinder, Overhead Camshaft, Water-cooled Displacement; 75,984 Liters Maximum Output: 240( PS) ISO Maximum Torque; 716 (Nin) ISO Emission Regulation: EURO IV Fuel Fank Capacity, 200 L Transmission: Manual 6 speed, Overdrive, Syndromesh 1st-oth Tire Size: 11822,5-16PR 3rdse Systemitudial, Duct Circut; 75', Cam Type, Equipped w/ ABS Gross Valence Well and, Duct Circut; 75', Cam Type, Equipped w/ ABS Gross Valence Well and, Duct Circut; 75', Cam Type, Equipped w/ ABS Gross Valence Well and, Duct Circut; 75', Cam Type, Equipped w/ ABS Gross Valence Well and, Duct Circut; 75', Cam Type, Equipped w/ ABS Gross Valence Well and, Duct Circut; 75', Cam Type, Equipped w/ ABS Gross Valence Well and, Duct Circut; 75', Cam Type, Equipped w/ ABS Gross Valence Well and, Duct Circut; 75', Cam Type, Equipped w/ ABS Gross Valence Well and, Duct Circut; 75', Cam Type, Equipped w/ ABS Gross Valence Well and, Duct Circut; 75', Cam Type, Equipped w/ ABS Gross Valence Well and, Duct Circut; 75', Cam Type, Equipped w/ ABS Gross Valence Well and, Duct Circut; 75', Cam Type, Equipped w/ ABS Gross Valence Well and, Duct Circut; 75', Cam Type, Equipped w/ ABS Gross Valence Well and Duct (ABS ABS) and Duct (ABS) and Duct	Address	: <u>Angeles</u>	, Pampan	ga		Date :	February	26, 2024
Please furnish and/or deliver to thits office the following articles subject to the terms and conditions contained herein:  Place of delivery:  Date of delivery:  Payment Term:  Payment Term:  Payment Term:  Payment Term:  Date of delivery:  Payment Term:  Date of delivery:  Payment Term:  Date of delivery:  Date of delivery:  Payment Term:  Date of delivery:  Date of delivery:  Payment Term:  Payment Term:  Payment Term:  Payment Term:  Payment Term:  Date of delivery:  Date of delivery:  Payment Term:  Payment Term:  Payment Term:  Payment Term:  Date of delivery:  Date of delivery:  Payment Term:  Bayen, 1580 Ling Assistant Material:  Date of delivery:  Date of delivery			·			Mode of Proc	urement:	Public Biddin
Item No. Quantity Unit Description Unit Cost Amount  1 1 Unit WATER TANKER RODIC CAPACITY TRUCK SPECIFICATIONS: Englare Tolesal, Turbo-changed & inter-cooled, 4 Cycle, inline, 6 Cylinder, Overhead Camshaft, Water-cooled Displacement: 7,664 Liters Waximum Output: 240(PSI) ISO Maximum Torquer 716 (Nm) ISO Emission Regulation: EURO W Fuel Tank Capacity. 290 L Transmission: Maximum Output: 240(PSI) ISO Maximum Torquer 716 (Nm) ISO Emission Regulation: EURO W Fuel Tank Capacity. 290 L Transmission: Maximum Output: 240(PSI) ISO Maximum Torquer 716 (Nm) ISO Emission Regulation: EURO W Fuel Tank Capacity. 290 L Transmission: Maximum Speed: 104mm/h Suspension: Sendelity of Emission Regulation: EURO W Fuel Tank Capacity. 290 L Transmission: Maximum Speed: 104mm/h Suspension: Sendelity 104 Capacity. 290 L Transmission: Maximum Speed: 104mm/h Suspension: Sendelity 104 Capacity. 290 L Transmission: Maximum Speed: 104mm/h Suspension: Sendelity 104 Capacity. 290 L Transmission: Maximum Speed: 104mm/h Suspension: Sendelity 104 Capacity. 290 L Transmission: Maximum Speed: 104mm/h Suspension: Sendelity 104 Capacity. 290 L Transmission: Maximum Speed: 104mm/h Suspension: Sendelity 104 Capacity. 290 L Transmission: Maximum Pate Calvalik & Indiders a duminum access Hose Storage: Two set stainless steel hose compartment with ha ches Mounting: Sub frame machined boilted to the chassis with combination of U- boits & Glaganal brackets Flishs: Polyurethane paint with undercoating Water Pump: High volume water pump, Englare-Air-cooled 3600 pm, pump- Steel; Impeller, Aluminum Housing, Flow Transmisson Steel pumpler of the Capacity 104 Library 104 Lib	Gentleme		nish and/or	deliver to this office	e the following articles subjec	et to the terms and	d conditions conta	nined herein:
Item No. Quantity Unit Description Unit Cost Amount  1 1 Unit WATER TANKER RODIC CAPACITY TRUCK SPECIFICATIONS: Englare Tolesal, Turbo-changed & inter-cooled, 4 Cycle, inline, 6 Cylinder, Overhead Camshaft, Water-cooled Displacement: 7,664 Liters Waximum Output: 240(PSI) ISO Maximum Torquer 716 (Nm) ISO Emission Regulation: EURO W Fuel Tank Capacity. 290 L Transmission: Maximum Output: 240(PSI) ISO Maximum Torquer 716 (Nm) ISO Emission Regulation: EURO W Fuel Tank Capacity. 290 L Transmission: Maximum Output: 240(PSI) ISO Maximum Torquer 716 (Nm) ISO Emission Regulation: EURO W Fuel Tank Capacity. 290 L Transmission: Maximum Speed: 104mm/h Suspension: Sendelity of Emission Regulation: EURO W Fuel Tank Capacity. 290 L Transmission: Maximum Speed: 104mm/h Suspension: Sendelity 104 Capacity. 290 L Transmission: Maximum Speed: 104mm/h Suspension: Sendelity 104 Capacity. 290 L Transmission: Maximum Speed: 104mm/h Suspension: Sendelity 104 Capacity. 290 L Transmission: Maximum Speed: 104mm/h Suspension: Sendelity 104 Capacity. 290 L Transmission: Maximum Speed: 104mm/h Suspension: Sendelity 104 Capacity. 290 L Transmission: Maximum Speed: 104mm/h Suspension: Sendelity 104 Capacity. 290 L Transmission: Maximum Pate Calvalik & Indiders a duminum access Hose Storage: Two set stainless steel hose compartment with ha ches Mounting: Sub frame machined boilted to the chassis with combination of U- boits & Glaganal brackets Flishs: Polyurethane paint with undercoating Water Pump: High volume water pump, Englare-Air-cooled 3600 pm, pump- Steel; Impeller, Aluminum Housing, Flow Transmisson Steel pumpler of the Capacity 104 Library 104 Lib	Place	of delivery	•			Delivery Term		····
Rem No. Quantity Unit Description Unit Cost Amount  1 1 unit WATER TANKER 8000L CAPACITY TRUCK SPECIFICATIONS: Engine: Diesel, Turbo-charged & Inter-cooled, 4 Cycle, Inline, 6 Cylinder, Overhead Camshaft, Water-cooled Displacement: 7,988 Uters Maximum Output: 240(PSI) ISO Maximum Torque: 716 (Nm) ISO Emission Regulation: EURO IV Fuel Tank Capacity: 290 L Transmission: Manual 6 speed, Overdrive, Synchromesh 1s-Ech Time Size: 118122-16PR Brake System:Full all, Duct Circuit, "5", Cam Type, Equipped w/ ABS Gross Vehicle Weight: 15,000Kg Maximum Speed: 104km/h) Suspension: Semi-elliphic Taped Leaf Spring w/ Shock Absorbers battery: 12vz 2 WATER TANK SPECIFICATIONS: Capacity: 8000 liters (3 compartments) Material: S5304 Stainless Steel (4mm) Manhole: Stainless with cover Piping: 3" - 11/3" stainless Water Broakers: Stainless steel baffler Tank Access: Checkered aluminum plate catwalk & Jadders aluminum access Hose Storage: Two set stainless steel hose compartment with ha chos Mounting: Sub frame machined boilted to the chassis with combination of U- boils & diagonal brackets Flinish: Polyurethane palint with undercoating Water Pump: High volume water pump. Engine-Air-cooled 3600 pm, Pump: Steel; Impeller, Aluminum Housing, Flow rate of 5001/min w/: LH/RH side Painel Clearance ELECTRICAL & EMERGENCY LOGHTING/MARNING SYSTEM ITEM A. FENISK 6PL 60" LED LIGHT BAR 38/W 1 Set (Made in USA) All weather sorter Penione Full Full Full Full Full Full Full Barbary Temporary Temporary Life Full Full Full Full Full Barbary Temporary Temporary Full Full Full Full Full Full Barbary Temporary Temporary Full Full Full Full Full Full Barbary Temporary Full Full Full Full Full Full Full Barbary Temporary Full Full Full Full Full Full Barbary Temporary Full Barbary Temporary Full Full Full Full Full Full Barbary Temporary Full Barbary	Date	of delivery	:	,		h		
ROUK SPECIFICATIONS: Engine: Diesel, Turbo-charged & Inter-cooled, 4 Cycle, Iniline, 6 Cylinder, Overhead Camshaft, Water-cooled Displacement: 7,684 Liters Maximum Output: 240(193) 150 Maximum Torque: 716 (Mm) ISO Emission Regulation: EURO IV Fuel Tank Capacity: 200 L Transmission: Manual 6 speed, Overdrive, Synchromesh 1st-6th Tire Size: 1182.5-16PR Brake Systems-full air, Duct Circuit; "S", Cam Type, Equipped w/ ABS Gross Vehicle Weight: 15,000kg Maximum Speed: 104km/h Suspension: Semi-elliptic Taped Leaf Spring w/ Shock Absorbers Battery: 122.2  WATER TANK SPECIFICATIONS: Capacity: 8,000 liters 3 compartments   Material: SS304 Stainless Steed (4mm.)   Manifole: Stainless with cover Piping: 3" - 11/5" stainless Water Breakers: Stainless steed baffler Tank Access: Checkered aluminum plate catwalk & ladders aluminum access Hoss Storage: Two set stainless steel hose compartment with hat ches Mounting: Sub frame machined boilted to the chassis with combination of U- boilts & diagonal brackets Finish: Polyurethane paint with undercoating Water Pump: High volume water pump, Engine-Air-cooled 3600 pm, Pump - Steel; Impeller, Aluminum Housing, Flow rate of 600/min w/: Lif/RH side Panel Clearance ELECTRICAL & EMERGENCY LIGHTING/WARNING SYSTEM ITEM A. FENIEX GPI, 60" LED LIGHT BAR. B,W I Set (Made in USA) All weather extremely bright bow profile LED lightbar ITEM B. FINIEX PUSION SURFACE MOUNT WARNING LIGHTS B 10 Pcs. (Made in USA). Size and Public Address System ITEM D. FENIEX AM900 WORK LIGHT - 2 PCS. (Made in USA) featuring 8 Incredibly bright flood LED's, AM900 offers excellent heat  Page 1 of 2  In case of failing to/finike the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent Total Amounts in Words:  In case of Negotiated Purchase pursuant to Section 369 (a) of RA7160 this portion must be accomplished)  Approved to be purchased dru Negotiated Purchas per Sangguniang Res. No.:  Certiffied Correct:  Certified Correct:	ltem No.	Quantity	Unit		Description		1	
In case of failing to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed  Confrome: ATS INFINITRADE SOLUTIONS OPC  Signature-over printed name  2-7-24  Date  (In case of Negotiated Purchase pursuant to Section 369 (a) of RA7160 this portion must be accomplished)  Approved to be purchased thru Negotiated Purchase Purchas per Sangguniang Res. No.:  Certified Correct:  Certified Correct:	1	1	nit	TRUCK SPECIFICA Engine: Diesel, Tu 6 Cylinder, Overh Displacement: 7,6 Maximum Torque Fuel Tank Capacit Overdrive, Synchr Brake System:Full Gross Vehicle Wei Suspension: Semi- Battery: 12vx 2 WATER TANK SPEC Capacity: 8,000 lit Stainless Steel (4 Piping: 3" ~ 11/5" steel baffles Tank catwalk & ladders Hose Storage: Two Mounting: Sub frac combination of U- Finish: Polyurethar Water Pump: High 3600 pm, Pump - S Housing, Flow rate ELECTRICAL & EME ITEM A. FENIEX GP All weather extrem ITEM B. FINIEX FUS B 10 Pcs. ( Made in ITEM C. FENIEX TYP SPEAKERS - 1 lot ( r ITEM D. FENIEX AN	TIONS:  rbo-charged & Inter-cooled, A ead Camshaft, Water-cooled (84 Liters Maximum Output: 28716 (Nm) ISO Emission Reguly: 200 L Transmission: Manualomesh 1st-6th Tire Size: 11R2 air, Duct Circuit, "S", Cam Typight: 16,000kg Maximum Specialliptic Taped Leaf Spring w/ Scifications: (3 compartments) Material (8 compartments) Mate	240( PSI) ISO Illation: EURO IV I 6 speed, I2.5-16PR De, Equipped w/ A Ded: 104km/h Shock Absorbers  Al: SS304 COVER Inless Iplate Deartment with ha Cover Inless I	ABS tches	8,994,550.0
Confrome: ATS INFINITRADE SOLUTIONS OPC  Signature-over printed name  2-7-24  Date  (In case of Negotiated Purchase pursuant to Section 369 (a) of RA7160 this portion must be accomplished)  Approved to be purchased thru Negotiated Purchase per Sangguniang Res. No.:  Certified Correct:  Certified Correct:	Total Amo	ounts in Wor	ds:	pag	e 1 of 2			
Section 369 (a) of RA7160 this portion must be accomplished)  Approved to be purchased thru Negotiated Purchas per Sangguniang Res. No.:  Certified Correct:	io. every	e: ATS INFII	VITRADE'S gnature ove	OLUTIONS OPC r printed name		Very Truly you	MORÚFINO B	BIAZON
	Section 30 be accomp Approved Purchas p	69 (a) of RA plished) to be purch er Sangguni	7160 this possed thru No	ortion must	Requesting Office/Dept.	Aiilo	unt;	· · · · · · · · · · · · · · · · · · ·
	Contineur		cretary of t	ne Sanggunian	Authorized Official	_	Chief Account	<u></u>

2/29/24

PURCHASE ORDER
City Government of Muntinlupa

Supplier: ATS INF	INITRADE SO	LUTIONS OPC	70		
Address : Angeles, P.	ampanga		P.O. No. :		306
			Date :	<u></u>	26, 2024
Gentlemen:			Mode of 1	Procurement: _1	Public Bidding
Please be	furnish this office	the following articles subject to the	terms and condition		
Place of delivery:			and condition contain he	rein: 	
Date of delivery:			Delivery Term :		
Item No. Quantity	Unit		Payment Term :		
Cumity		Description		Unit Cost	
	1 SET 1 SET 1 SET 1 SET One (1 Three One (1 xxxxxxx	Assion and a rugged, durable alum SSORIES: Standard Manual, tools (1 hydrau Spare tire with Rim EarlyWarning Device (EWD) A Year Warranty A years Registration to LTO Year GSIS COMPREHENSIVE INS COMPREHENSIVE IN	ulic jack, 1 set tools & manual	)	Amount ====================================
Total Amounts in words:					
	make the full deli	very within the the specified above,		f one percent	-
Conforme: ATS INFIN Sign	NITRADE)SOLU ature over printed 3-7-24	TIONS ORC	Wayor ROZZANO RUB Authorized C	NO B. BIAZO	N
rase of Negotiated Purchase pursion 369 (a) of RA7160 this porticomplished.) roved to be purchase thru Negotiase per Sangguniang Res. No.	Date suant to on must iated	Requesting Office/Dept.	Funds Available :  Amount :  R.O. No. :	outciat	
Secretary of the	Sanggunian	Authorized Official	Chief Ac	Count	