



Republic of the Philippines
City Government of Muntinlupa
National Road Putatan Muntinlupa City
BIDS and AWARDS COMMITTEE
www.muntinlupacity.gov.ph

REQUEST FOR QUOTATION

Date: 3/1/2024
Quotation No: 2024-0081

Company Name: _____

Address: _____

Business Permit No.: _____

TIN: _____

PhilGEPS Registration No. (required): _____

The City Government of Muntinlupa, through its Bids and Awards Committee, intends to procure **Other Machinery & Equipment** to be used by Museo ng Muntinlupa which will be undertaken in accordance with **Section 53.9** of the 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184.

Please quote your **best offer** for the item/s described herein, subject to the Terms and Conditions provided.

A copy of the following documents are also required to be submitted along with your quotation/proposal:

1. Mayor's/Business Permit: (Certified True Copy)	4. PhilGEPS Registration (Certified True Copy)
2. Accomplished and Notarized Omnibus Sworn Statement (Original)	5. Certificate of Registration (Certified True Copy)
3. Latest Income Tax (Certified True Copy)	

Quotations/Proposals must be submitted to the BAC Office of the City Government of Muntinlupa for checking & validation.

For any clarification, you may contact **Bids & Awards Committee** at telephone no. (02)8861-1127

INSTRUCTIONS:

- (2) Do not alter the contents of this in any way.
- (3) technical specifications with asterisks(*) are mandatory. Failure to comply with any of the mandatory requirements will disqualify your
- (4) Failure to follow these instructions will disqualify your entire quotation.

After having carefully read and accepted the Terms and Conditions, I/we submit our quotation/s for the item/s as follows:

Procurement Project	Approved Budget for the Contract (ABC)
Other Machinery & Equipment to be used by Museo ng Muntinlupa	One Hundred Ninety Two Thousand Two Hundred Five Pesos

Technical Specifications:

QTY	UNIT OF ISSUE	ITEM DESCRIPTION	Compliance		REMARKS
			Yes	No	
1	lot	24-INPUT 4/2 BUS MIXER WITH MIC PREAMPS AND COMPRESSORS MULTI-FX PROCESSOR AND USB AUDIO INTERFACE			



Republic of the Philippines
City Government of Muntinlupa
National Road Putatan Muntinlupa City
BIDS and AWARDS COMMITTEE
www.muntinlupacity.gov.ph

		Ultra-low noise, high headroom analog mixer			
		10 state-of-the-art, phantom-powered XENYX Mic Preamps			
		Eight studio-grade compressors with super-easy "one-knob" functionality and control LED			
		Neo-classic "British" 3-band EQs with semi-parametric mid band for warm and musical sound			
		Studio-grade FX processor with 16 editable presets			
		Built-in stereo USB/Audio Interface to connect directly to your computer.			
		Channel inserts and direct outputs on each mono channel plus main mix inserts			
		4 aux sends per channel: 2 pre/post fader switchable, 2 post fader			
		Clip LEDs, mute, main mix and subgroup routing switches, solo and PFL functions on all channels			
		4 subgroups with separate outputs for added routing flexibility			
		4 multi-functional stereo aux returns with flexible routing			
		Balanced main mix outputs with 1/4" jack and gold-plated XLR			
		connectors			
		Separate control room, headphones and stereo record outputs			
		Control room/phones outputs with multi-input source matrix			
		Record inputs assignable to main mix or control room/phones outputs			
		Long-wearing 60-mm logarithmic-taper faders and sealed rotary controls			
		"Planet Earth" switching power supply for 100-240V flexibility, superior audio performance, and energy efficiency			
		Rack mount brackets included for ultimate flexibility			
2	sets	WIRELESS MICROPHONE SYSTEM WITH DYNAMIC HANDHELD MICROPHONE			
		Product type: Wireless Microphone System Accessories			



Republic of the Philippines
City Government of Muntinlupa
 National Road Putatan Muntinlupa City
BIDS and AWARDS COMMITTEE
www.muntinlupacity.gov.ph

		Type: Microphones			
		Transmission frequency range: 584 - 608 MHz, 584 - 608 MHZ			
		Channels: 12			
		Groups: 1			
		Microphone type: Dynamic			
		Directivity: Cardioid			
		Frequency response: 55 - 16000			
		Signal-to-noise ratio: 104 dB			
		Rated HF output power: 10 mW			
		Controls: Power On/Off			
		Indicators: ASC IR Sync (Green/Amber Blinking LED), Battery (low battery: red), Power LED (Power ON: green)			
		Power supply: 2 x AA battery			
		Operating time: >10 h			
		Length: 257 mm			
		Diameter: 50 mm			
		Weight: 0.235 kg			
		Other features: IR frequency synchronisation, Pilot tone			
1	unit	WIRELESS CONFERENCE SYSTEM MAIN UNIT 16			
		CHANNEL WIFI			
		Wireless Conference System Main Unit			
		Built-in 16 Channel WIFI frequencies			
		Record & Play thru USB and with Bluetooth Function			
		5 Groups of channel, Each channel have 130 Frequencies			
		FIFO function, only 4 units can use at the same time			
		Wireless capabilities support an infinite number of units			



Republic of the Philippines
City Government of Muntinlupa
National Road Putatan Muntinlupa City
BIDS and AWARDS COMMITTEE
www.muntinlupacity.gov.ph

		Built-in advanced encryption communication algorithm, complete eliminate communication errors and false action.			
		Balance XLR & Unbalance PL output			
		Automatic Shutdown. Host standby for more than 30 minutes.			
		Workable distance up to 50 meters, depend on environment.			
		Main Unit can be Rack Mount.			
1	pc	CHAIRMAN WIRELESS CONFERENCE MICROPHONE UNIT WITH UNIDIRECTIONAL CONDENSER MIC, PRIORITY ON/OFF BUTTONS AND RED LIGHT INDICATORS FOR BUSINESS CONFERENCE SYSTEM			
		Wireless Chairman's Unit			
		Priority Buttons			
		Mic ON/OFF Buttons			
		Unidirectional condenser mic			
		Red Light Indicate mic is ON			
		Chairman Units can also use as delegate Unit			
		Can Override/mute all the active Delegate Units			
3	pcs	DELEGATE WIRELESS CONFERENCE MICROPHONE			
		UNIT WITH UNIDIRECTIONAL CONDENSER MIC, PRIORITY ON/OFF BUTTONS AND RED LIGHT INDICATORS FOR BUSINESS CONFERENCE SYSTEM			
		Wireless Delegate's Unit			
		Mic ON/OFF Buttons			
		Unidirectional condenser mic			
		Red Light Indicate mic is ON			
1	unit	FINGERPRINT BIOMETRICS			
		stores 3,000 templates			
		ID Card: 5,000			



Republic of the Philippines
City Government of Muntinlupa
 National Road Putatan Muntinlupa City
BIDS and AWARDS COMMITTEE
www.muntinlupacity.gov.ph

		Transactions: 30,000			
		3.5" TFT LCD Color Display			
		Ethernet, Weigand Input & Output			
		RJ 485, USB Host			
		3rd Party Electric Lock, Door Sensor Exit Button, Alarm Doorbell			
		Dimension: 80 x 183 x 42 mm			
1	set	INFRARED SENSOR DOOR EXIT NO TOUCH			
		Size: L11.3 x W 6.8 x 3 cm			
		Input Voltage: DC12V			
		Plexiglas touch trigger			
		3A/12VDC			
		Normally open/ Normally closed/ COM Contact			
		500,000 aging test pass			
		Infrared Sensor Switch			
		Installation Screw Kit			
1	pc	ELECTROMAGNETIC LOCK FOR DOOR (ACCESS CONTROL SYSTEM)			
		600 lbs lock (280 kg)			
		Stainless Steel			
		12 Volts			
		Lock size: 9.84 x 1.93 x 0.98"			
		Armature Plate: 7.09 x 1.5 x 0.43"			
1	PC	L-Z Bracket (Electromagnet Lock)			
		600 lbs lock (280 kg)			



Republic of the Philippines
City Government of Muntinlupa
 National Road Putatan Muntinlupa City
BIDS and AWARDS COMMITTEE
www.muntinlupacity.gov.ph

		Z and L Bracket			
		Suitable with metal door			
1	PC	Door Release			
		Infrared touch button			
		Integral timer w/ security access			
		Buzzer/LED Selectable Indication on emergency release			
1	PC	Deep Cycle Sealed Lead Acid Battery			
		Dimensions: 5.94 x 2.55 x 3.71"			
		Maximum Charging Current: 2.80A			
		DC Output Voltage: 12V			
		Amp/hr: 7			
		Resistance: 19.8m			
Summary of Approved Budget			OFFERED QUOTATION		
QTY	UNIT OF ISSUE	ITEM DESCRIPTION	QTY	UNIT OF ISSUE	TOTAL PRICE
1	lot	24-INPUT 4/2 BUS MIXER WITH MIC PREAMPS AND COMPRESSORS MULTI-FX PROCESSOR AND USB/AUDIO INTERFACE			
		Ultra-low noise, high headroom analog mixer			
		10 state-of-the-art, phantom-powered XENYX Mic Preamps			
		Eight studio-grade compressors with super-easy "one-knob" functionality and control LED			
		Neo-classic "British" 3-band EQs with semi-parametric mid band for warm and musical sound			
		Studio-grade FX processor with 16 editable presets			
		Built-in stereo USB/Audio Interface to connect directly to your computer.			



Republic of the Philippines
City Government of Muntinlupa
 National Road Putatan Muntinlupa City
BIDS and AWARDS COMMITTEE
www.muntinlupacity.gov.ph

		Channel inserts and direct outputs on each mono channel plus main mix inserts				
		4 aux sends per channel: 2 pre/post fader switchable, 2 post fader				
		Clip LEDs, mute, main mix and subgroup routing switches, solo and PFL functions on all channels				
		4 subgroups with separate outputs for added routing flexibility				
		4 multi-functional stereo aux returns with flexible routing				
		Balanced main mix outputs with 1/4" jack and gold-plated XLR				
		connectors				
		Separate control room, headphones and stereo record outputs				
		Control room/phones outputs with multi-input source matrix				
		Record inputs assignable to main mix or control room/phones outputs				
		Long-wearing 60-mm logarithmic-taper faders and sealed rotary controls				
		"Planet Earth" switching power supply for 100-240V flexibility, superior audio performance, and energy efficiency				
		Rack mount brackets included for ultimate flexibility				
2	sets	WIRELESS MICROPHONE SYSTEM WITH DYNAMIC HANDHELD MICROPHONE				
		Product type: Wireless Microphone System Accessories				
		Type: Microphones				
		Transmission frequency range: 584 - 608 MHz, 584 - 608 MHZ				
		Channels: 12				
		Groups: 1				
		Microphone type: Dynamic				
		Directivity: Cardioid				



Republic of the Philippines
City Government of Muntinlupa
 National Road Putatan Muntinlupa City
BIDS and AWARDS COMMITTEE
www.muntinlupacity.gov.ph

		Frequency response: 55 - 16000				
		Signal-to-noise ratio: 104 dB				
		Rated HF output power: 10 mW				
		Controls: Power On/Off				
		Indicators: ASC IR Sync (Green/Amber Blinking LED), Battery (low battery: red), Power LED (Power ON: green)				
		Power supply: 2 x AA battery				
		Operating time: >10 h				
		Length: 257 mm				
		Diameter: 50 mm				
		Weight: 0.235 kg				
		Other features: IR frequency synchronisation, Pilot tone				
1	unit	WIRELESS CONFERENCE SYSTEM MAIN UNIT 16				
		CHANNEL WIFI				
		Wireless Conference System Main Unit				
		Built-in 16 Channel WIFI frequencies				
		Record & Play thru USB and with Bluetooth Function				
		5 Groups of channel, Each channel have 130 Frequencies				
		FIFO function, only 4 units can use at the same time				
		Wireless capabilities support an infinite number of units				
		Built-in advanced encryption communication algorithm, completely eliminate communication errors and false action.				
		Balance XLR & Unbalance PL output				
		Automatic Shutdown. Host standby for more than 30 minutes.				
		Workable distance up to 50 meters, depend on environment.				
		Main Unit can be Rack Mount.				



Republic of the Philippines
City Government of Muntinlupa
 National Road Putatan Muntinlupa City
BIDS and AWARDS COMMITTEE
www.muntinlupacity.gov.ph

1	pc	CHAIRMAN WIRELESS CONFERENCE MICROPHONE UNIT WITH UNIDIRECTIONAL CONDENSER MIC, PRIORITY ON/OFF BUTTONS AND RED LIGHT INDICATORS FOR BUSINESS CONFERENCE SYSTEM				
		Wireless Chairman's Unit				
		Priority Buttons				
		Mic ON/OFF Buttons				
		Unidirectional condenser mic				
		Red Light Indicate mic is ON				
		Chairman Units can also use as delegate Unit				
		Can Override/mute all the active Delegate Units				
3	pcs	DELEGATE WIRELESS CONFERENCE MICROPHONE				
		UNIT WITH UNIDIRECTIONAL CONDENSER MIC, PRIORITY ON/OFF BUTTONS AND RED LIGHT INDICATORS FOR BUSINESS CONFERENCE SYSTEM				
		Wireless Delegate's Unit				
		Mic ON/OFF Buttons				
		Unidirectional condenser mic				
		Red Light Indicate mic is ON				
1	unit	FINGERPRINT BIOMETRICS				
		stores 3,000 templates				
		ID Card: 5,000				
		Transactions: 30,000				
		3.5" TFT LCD Color Display				
		Ethernet, Weigand Input & Output				
		RJ 485, USB Host				
		3rd Party Electric Lock, Door Sensor Exit Button, Alarm Doorbell				



Republic of the Philippines
City Government of Muntinlupa
 National Road Putatan Muntinlupa City
BIDS and AWARDS COMMITTEE
www.muntinlupacity.gov.ph

		Dimension: 80 x 183 x 42 mm				
1	set	INFRARED SENSOR DOOR EXIT NO TOUCH				
		Size: L11.3 x W 6.8 x 3 cm				
		Input Voltage: DC12V				
		Plexiglas touch trigger				
		3A/12VDC				
		Normally open/ Normally closed/ COM Contact				
		500,000 aging test pass				
		Infrared Sensor Switch				
		Installation Screw Kit				
1	pc	ELECTROMAGNETIC LOCK FOR DOOR (ACCESS CONTROL SYSTEM)				
		600 lbs lock (280 kg)				
		Stainless Steel				
		12 Volts				
		Lock size: 9.84 x 1.93 x 0.98"				
		Armature Plate: 7.09 x 1.5 x 0.43"				
1	PC	L-Z Bracket (Electromagnet Lock)				
		600 lbs lock (280 kg)				
		Z and L Bracket				
		Suitable with metal door				
1	PC	Door Release				
		Infrared touch button				
		Integral timer w/ security access				
		Buzzer/LED Selectable indication on emergency release				



Republic of the Philippines
City Government of Muntinlupa
National Road Putatan Muntinlupa City
BIDS and AWARDS COMMITTEE
www.muntinlupacity.gov.ph

1	PC	Deep Cycle Sealed Lead Acid Battery				
		Dimensions: 5.94 x 2.55 x 3.71"				
		Maximum Charging Current: 2.80A				
		DC Output Voltage: 12V				
		Amp/hr: 7				
		Resistance: 19.8m				
			Ph192,205.00	Total Offered quotation (in Php)	Php	

TERMS AND CONDITIONS:

1. Bidders shall provide correct and accurate information required in this form.
2. Bidders must quote for all or all the items.
3. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
4. Price quotation/s, to be denominated in Philippine peso shall include all taxes, duties and/or levies payable.
5. Quotations exceeding the Approved Budget for the contract shall be rejected.
6. Award of contract shall be made to the lowest quotation (for goods and infrastructure) or, the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
7. Any interlineations, erasures overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
8. The item/s shall be delivered according to the requirements specified in the Technical Specifications.
9. The GSO shall have the right to inspect and/or to test the goods to confirm their conformity to the technical specifications.

Signature over Printed Name

Position/Designation

Office Telephone No.

Mobile Phone No./Fax No.

Email address/es