

Republic of the Philippines CITY GOVERNMENT OF MUNTINLUPA **Bids and Awards Committee**

NOTICE TO PROCEED

C SYSTEMS TECHNOLOGIES INC.

Dasmariñas, Cavite

Dear Sir / Madame:

The attached Contract Agreement having been approved, notice is hereby given C SYSTEMS TECHNOLOGIES INC. that the CONTRACT of the City Government of Muntinlupa for the "Supply, Delivery & Installation of Additional CCTV Cameras in Strategic Locations w/n Alabang Public Market Premises", shall commence effective FIVE (5) DAYS after acknowledging receipt hereof.

Upon receipt of this notice, you are responsible for performing the services under the terms and conditions of the Agreement and Schedule of Delivery.

Please acknowledge receipt and acceptance of this notice by signing both copies on the space provided below. Kindly keep one (1) copy and return the other copy to the Bids and Awards Committee Secretariat.

Very truly yours,

I acknowledge receipt of this Notice on April 23, 2005

Name of the Bidder or Representative Jones May Morolu

Authorized signature _





Contract Agreement

THIS AGREEMENT made the 3rd day of 100 day of 100 between CITY GOVERNMENT OF MUNTINLUPA of the Philippines (hereinafter called "the Entity") of the one part and C SYSTEMS TECHNOLOGIES INC. with address at Dasmariñas, Cavite (hereinafter called "the Supplier") of the other part;

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly for the Supply, Delivery & Installation of Additional CCTV Cameras in Strategic Locations w/n Alabang Public Market Premises and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of Seven Million Seven Hundred Eighty Five Thousand Pesos (P7,785,000.00) (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, *viz.*:
 - i. Philippine Bidding Pocuments (PBDs);
 - i. Schedule of Requirements;
 - ii. Technical Specifications;
 - iii. General and Special Conditions of Contract; and
 - iv. Supplemental or Bid Bulletins, if any
 - ii. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (*e.g.*, Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- iii. Performance Security;
- iv. Notice of Award of Contract; and the Bidder's conforme thereto; and
- v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.

- In consideration for the sum of Seven Million Seven Hundred Eighty Five Thousand
 Pesos (P7,785,000.00) or such other sums as may be ascertained, C SYSTEMS
 TECHNOLOGIES INC. agrees to the Supply, Delivery & Installation of Additional CCTV
 Cameras in Strategic Locations w/n Alabang Public Market Premises in accordance with
 his/her/its Bid.
- 4. The City Government of Muntinlupa agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

Hon. ROZZANO	RUFINO	В.	BIAZON
City Mayor 1			

Johns May 6 morales Supplier

for:
CITY GOVERNMENT OF MUNTINLUPA

for:
C SYSTEMS TECHNOLOGIES INC.

99~	Signed in the presence of:
Intent induands	EVA ANTONIO
The second secon	

ACKNOWLEDGEMENT

REPUBLIC OF THE PHILIPPINES) CITY OF STA. CRUZ, LAGUMA)

BEFORE ME, a Notary Public for and in the CRUZ LAGUES 3rd day of HAU 2025, personally appeared:

NAME

GOVERNMENT ISSUED ID NO.

HON. ROZZANO RUFINO B. BIAZON

Driver's License N03-86-030998 NAT 10 3480 - 5403 - 8125 - 8378

Known to me and to me known to be the same persons who executed the foregoing instrument and acknowledged to me that the same is their own voluntary act and deed.

WITNESS MY HAND SEAL.

Doc. No. <u>316</u>; Page No. <u>80</u>; Book No. <u>53</u>; Series of 2025. NOTARY PUBLIC
ONTIL DECEMBER 31, 2025
PIR NO. 3807751 OF JANUARY 2025
IBP LIFETIME NO: 013554
ROLL OF ATTORNEY NO. 52577
MCLE COMPLIANCE NO: VII-0020303

Sunnlier		VIS TECT	INOLOGIES INCO	DRPORATED	P.O. No.:	3345	J
Supplier : Dasmariñas, Cavite City Address :		te City D		Date :	April 08	, 2025	
Address	•				E-E-E-E-E-E-E-E-E-E-E-E-E-E-E-E-E-E-E-	urement :E	Bidding/
Gentleme	n: Please furi	nish and/or	deliver to this office th	e following articles subject to	o the terms and	l conditions conta	ined herein:
Plac	e of delivery	:			Delivery Term	;	
					Payment Term	i	
Item No.	Quantity	Unit		Description		Unit Cost	Amount
1	20	Units	Dual Al sensors with m colorful images in low i - Outputs max. 4 MP - Built-in warm light/IF - ROI, SMART H.264 applicable to various barbicable to various may little light monitoring support the classification abandoned object, missiparking detection Face detection: Tracs snapshot upload, face a people counting: Quentered/exited people of (day/month/year) Alarm: 1 in, 1 out; au card; built-in Mic and sp. 12 VDC/PoE powers IP67 protection.(IK10 4MP DOME NETWORM - 4-MP 1/2.7" CMOS ir - Outputs max. 4 MP (1 - H.265 codec, high co	(2688 × 1520)@25/30 fps. R LED, with a maximum illuminati th/H.265+, AI H.264/H.265, flexible andwidth and storage environme DR, 3D NR, HLC, BLC, digital was conitoring scenes. g: Intrusion, tripwire, fast moving on and accurate detection of vehick, snapshot, snapshot optimization object, loitering detection, peak, snapshot, snapshot optimization object, and face exposure eue management, people counting counting, and generating and expendic: 1 in, 1 out; supports max. 25 peaker, support two-way talk. supply.	that produces on distance of 50 e coding, nts. termarking, (the three function cle and human); cople gathering, on, optimal face e. orting report 66 G Micro SD	and 21,200,00	781,140.00
Total A	mounts in W	ords:	100 m and warm light d ROI, SMART H.264- applicable to various ba Rotation mode, WDR	istance is 100 m. +/H.265+, Al H.264/H.265, flexibl ndwidth and storage environmen s, 3D NR. HLC. BLC. digital water	e coding,		
Total A	In case of f		oka tha full daliyary wit	thin the time specified above,	a penalty of or	ne-tenth (1/10) of	one percent
	ry day of dela	ay shall be in the inclusion of the incl			200	ours, A Common B Authorized Offici	-
Section be according		RA7160 this	e pursuant to s portion must	Requesting Office/Dept.	An	nount:	
			No.:	75			
	ed Correct:			l			

Supplier :	C-SYSTEI	MS TECH	NOLOGIES INCORPORATED	P.O. No. :	334	55
	Dasmariña			Date : _	April 08,	2025
	7				rocurement :	luuliib
6 4						
Genti	emen : Please b	e furnish this	office the following articles subject to the terms an	d condition contain he	rein:	
Place	of delivery:			Delivery Term :		
Date	of delivery:			Payment Term :		
Item No.	Quantity	Unit	Description		Unit Cost	Amount
3	2	units	 Intelligent monitoring: Intrusion, tripwire (the two classification and accurate detection of vehicle and 4MP 32X NETWORK PANORAMIC PTZ CAMERA - 1/2.8" 4 Megapixel CMOS. 42× optical zoom. Max. 25/30 fps@2560 × 1440. IR distance up to 300 m. 	l human).	197,266.00	394,532.00
4	1	unit	 Auto-tracking. Perimeter protection. Face detection. IP68. Sound and light alarm. 180° Panoramic Splicing.(IK10) 8 MP MULTI-SENSOR 180 PANORAMIC PTZ NE DAHUA/OEM Panoramic parameters: 4 × 2 MP 1/1.8" CMOS i parameters: 1 × 4 MP 1/1.8" CMOS image sensor PTZ camera: 25× optical zoom,16× digital zoom H.265 codec, high compression rate, ultra-low be WDR, 3D NR, HLC, BLC, applicable to various relationship ROI, SMART H.264+/H.265+, flexible coding, applicable and storage environments. 	mage sensors. PTZ s. oit rate. nonitoring scenes.	262,945.00	262,945.00
5	1	unit	 Smart tracking. Built-in dual MIC, built-in speaker, support two-versions: Panoramic Network Came Perimeter Protection; PTZ Camera: Pt	ra: tection, Face Detection /ER- DAHUA/OEM H.264 and MJPEG	1,531,530.00	1,531,530.00
Total .	Amounts in w	ords:	XXXXXX PAGE 2 XXXXXX	9		-
			imposed COGIES INCORPORATED	a penalty of one-tenth(No 16	
	***************************************		re over printed name	Auth	orized Official	
	Negotiated Pu 9 (a) of RA716 blished.)	5.		Funds Available : Amount :		
Purchase 1			ted	R.O. No. :		
Certified (cretary of the	Sanggunian Authorized Official		Chief Account	

Supplier :	C-SYSTEMS TECHNOLOGIES INCORPORATED		P.O. No. :			
Address :	Dasmariñ	ias, Cavite	City	Date :	April 08,	dding
				Mode of P	rocurement :	500
Gentle	emen : Please b	e furnish this	office the following articles subject to the terms an	d condition contain he	rein:	
Place	of delivery:			Delivery Term :		
Date	of delivery:			Payment Term :	*III.	
Item No.	Quantity	Unit	Description		Unit Cost	Amount
6	1	unit	 Al by Recorder supports 8-channel face detect 40 face databases and 300,000 face images; 8-channel perimeter protection; 32-channel SMD Pleas and 300,000 face images; 8-channel perimeter protection; 32-channel SMD Pleas are people counting. Supports Plus, metadata, ANPR, stereo and people counting. Supports redundant power, N+M cluster, Raid Drawer-like chassis design allows for HDD hot sw Supports EPTZ, One-click Arming & Disarming. Security baseline 2.3. MULTI-SCREEN CONTROLLER- DAHUA/OEM 19" standard 2.5U ATCA industry box High speed passive rear panel design, reliable Easy and flexible configuration with pluggable of Support max 32 screens splicing and 3 addition 16ch 1080P@25fps or 64ch D1@25fps signal board and 5ch 1080P@25fps or 16ch D1@25fps output cards added (using the decoding capabilit Provide low latency solution and excellent performed to the performed and smart temperated powerful main control chip inside, ultrahigh datagood extensibility Support collection of 4K local signal via HDM1 in Support collect	hannel metadata; 32- lus. lus. lus. lus. lus. lus. lus. lus.	334,152.00 I	334,152.00
7	1	unit	 Support collection of 4K local signal via HDMI in high-definition display 2 RJ-45 gigabit network ports for matrix controls. Remote reboot/upgrade/default setting and etc. 28-PORT MANAGED GIGABIT SWITCH W/ 4-PLINK/OEM All-gigabit port design (10 gigabit uplink port). Supports STP, RSTP and ERPS. IEEE802.1Q-based VLAN configuration. Static link aggregation and dynamic link aggregation. 	I, preview operations PORT SFP+/ DAHUA/TF	92,820.00	92,820.00
Total A	Amounts in w	ords:	XXXXXX PAGE 3 XXXXXX			
	very day of d	elay shall be i	ke the full delivery within the the specified above, a mposed. LOGIES INCORPORATED My all te over printed name 473 25	Very T Mayor ROZZ	1111	
(In case of	Negotiated Pı	ırchase pursua	Date	Funds Available		
Section 369	(a) of RA716	0 this portion	. 0	Amount:		
be accomp	on the second se	thru Negotiat	ed	-		
l .		5750		K.O. No. :		
Certified C	-					
o t	Sec	cretary of the S	Sanggunian Authorized Official		Chief Account	

Supplier :	C-SYSTE	MS TECH	INOLOGIES INCORPORATED	P.O. No. :	3345	5
Address :	Dasmariñ	as, Cavite	City	Date :	April 08,	2025
Address .					В	idding
				Mode of Pi	rocurement :	
Gentle	emen : Please be	e furnish this	office the following articles subject to the terms and c	condition contain her	rein:	==
Place	of delivery:			Delivery Term :		
Date	of delivery:			Payment Term :		
Item No.	Quantity	Unit	Description		Unit Cost	Amount
8	4	units	 Easy to manage the device through the webpage EMC compliant, the device is lightning proof. Desktop mount and rack mount. 18 -PORT MANAGED GIGABIT SWITCH W/ 16-PORT LINK/ OEM Intelligent PoE. 		38,595.00	154,380.00
9	3	units	 Red port supports 90W IEEE802.3bt. Web management with friendly interface and easy 250 m long distance PoE transmission. PoE watchdog. Large-capacity data cache (4Mbit) for real-time transmis All gigabit port design. 10-PORT MANAGED INDUSTRIAL GIGABIT SWIT / DAHUA/ OEM All-gigabit port design. Supports IEEE802.3af, IEEE802.3at, Hi-PoE and port) standards. 250 m long-distance PoE transmission (10 Mbps). PoE Watchdog. 	ssion and smooth video. ICH W/ 8-PORT PoE IEEE802.3bt (red	31,668.00	95,004.00
10	9	units	 Supports STP, RSTP, and ERPS. IEEE802.1Q-based VLAN configuration. Manual link aggregation and static LACP. Desktop mount and DIN-rail mount. 55" DISPLAY MONITOR- DAHUA/OEM 4K Ultra-HD resolution Using tamper-proof metal housing 	s	160,601.00	1,445,409.00
11	1	set	- High fidelity digital processing for a brilliant and viral Professional thermal design to extend equipment - Built-in power, low energy consumption, ultra-quie - Support multiple signals, such as HDMI, DP, VGA MONITORING STATION - Intel I7 14th Gen Processor - 64GB DDR5 Memory ***XXXXX PAGE 4 XXXXXX	lifespan et	dio 261,200.00	261,200.00
Total	Amounts in w	vords:	AAAAAA I AGE T AAAAA			-
	every day of c	lelay shall be	LOGIES INCORPORATED Vo	penalty of one-tenth(1 10 11	
-		Signate	They wordly	Auth	norized Official	
(In case o	f Negotiated P	urchase nursu	Date Ant to Requesting Office/Dept.	Funde Available		
	1 Negotiated P 69 (a) of RA71	-		Amount		
be accomp		oo ans pornon		Amount		
	2	e thru Massti-	ted	D O M-		
7.70	l to be purchas		ted	K.U. No.		
		g 1xcs. 1vo				
Certified	-	ecretary of the	Sanggunian Authorized Official		Chief Account	
L						

Supplier :	C-SYSTE	MS TECH	NOLOGIES	INCORPORATED	P.O. No. : _	3345	5
Address :		as, Cavite			Date :	April 08, Bi	2025
Address:	Name of the second					Bi	dding
					Mode of Pf	ocurement :	
Gentle	emen : Please b	e furnish this	office the followi	ing articles subject to the terms and	condition contain here	ein:	late .
Place	of delivery:				Delivery Term : _		
Date	of delivery:				Payment Term :		
Item No.	Quantity	Unit		Description		Unit Cost	Amount
12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28	16 1 12 3 1 3 5 100 2 20 10 2 1 3 1 1	PCS PCS PCS PCS PCS PCS PCS SET SET SET SET SET SET SET SET SET SE	- 27" Display I - 8GB Video I - 2KVA Uninte - Table and C - Windows 11 10TB SURVEI DIGITAL/ SEA WIRELESS I HDMI CABLE DISPLAY POF 6KVA RACKI OUTDOOR CA DAHUA/OEM INDOOR CAT BULLET CAM DOME CAME PTZ CAMERA MULTI-SENSO TIBOX or Out 22U FLOOR ST 12u DATA CA ROUGH-INS I 12PORT RAC 1.25G OPTICAL LC to SC FIBE 2-CORE FITH	d State Drive e and Keyboard Monitor Memory erupted Power Supply hair Pro ILLANCE GRADE HARD DISK DRIV AGATE/ OEM OUSE (10M) RT TO HDMI ACTIVE CONVERTER MOUNTED UPS- KEBOS/OEM AT6 UTP ETHERNET CABLE (305M/BC) I THERNET CONNECTOR- DLINK/O DP UPS- KEBOS/OEM MERA JUNCTION BOX- DAHUA/OEM A JUNCTION BOX- DAHUA/OEM A JUNCTION BOX- DAHUA/OEM OR 180 PANORAMIC PTZ NETWOR IGOOR CCTV Enclosure 400x300x15 IFANDING DATA CABINET- HARDRACK ABINET (600x600x600mm)- HARDRACK	M/BOX)- BELDEN/ DX)- BELDEN/ EM M RK- DAHUA/OEM 0 K/TUFFRACK/OEM CACK/TUFFRACK/OE //PATCH PANEL 1SET GLEMODE 6 PAIRS	35,828.00 580.00 2,020.00 3,800.00 143,468.00 21,911.00 34,200.00 1,004.00 1,504.00 3,850.00 4,500.00 7,172.00 89,107.00 48,570.00 101,849.00	573,248.00 580.00 24,240.00 11,400.00 143,468.00 65,733.00 171,000.00 13,000.00 20,080.00 15,040.00 7,700.00 4,500.00 21,516.00 89,107.00 48,570.00 101,849.00
Total	Amounts in w						
1	every day of d	lelay shall be in the state of	imposed. LOGIES INCOR	rolls	penalty of one-tenth(I	1.11	
		Signatu	re over printed n 4 2 3 2 5 Date	ame	Autho	orized Official	
	f Negotiated P	(5)		Requesting Office/Dept.	Funds Available :		
	59 (a) of RA71	60 this portion	must		Amount:		
be accom	***************************************	EVAD FILMONI	. 3		=		
	to be purchase		ted		R.O. No. :		
1		ng ICS. 190. :					
Certified		ecretary of the	Sanggunian	Authorized Official		Chief Account	

Supplier :	C-SYSTE	MS TECH	INOLOGIES I	NCORPORATED	P.O. No. :	3345	55
Address :	Dasmariñ	as, Cavite	City			April 08,	
			2		Mode of P	rocurement : B	idding
Gentl	lemen : Please b	e furnish this	office the followin	g articles subject to the terms an	d condition contain he	rein:	
Place	e of delivery :				Delivery Term :		
	,				Payment Term :		
Item No.	Quantity	Unit		Description		Unit Cost	Amount
			Stainless Buckle Stainless Buckle Royal Cord 16/2 Plastic Glanding Plastic Glanding Plastic Glanding Liquid tight host Liquid tight Fittin Liquid tight Fittin PVC Pipe 1/2 50 PVC Pipe 3/43 3 PVC Adaptor 3/4 PVC Adaptor 1/2 PVC Elbow 1/2 5 Metal Clamp 3/4 Metal Clamp 1/2 Metal Black Scree Orange BOX 506 Metal Hole saw 3 Metal Hole saw 3 Cable Tie 5 PCS	m Stainless 1 inch 64 PCS s 20 PCS s Strap 1 PC 2 PCS 3/4 8 PCS 1/2 8 PCS 1/4 8 PCS 3/4 50 M 1/2 50 M gs 3/4 10 PCS gs 1/2 10 PCS 9 PCS 10 PCS 10 PCS 10 PCS 100 PCS 2 50 PCS 2 50 PCS 2 50 PCS 3/4 1 PC 1/2 1 PC 3/4 2 PCS mm thick 1 PC SS olit 2 PCS Itis			
Tota	l Amounts in	words:		ANAMAT HOL O ANAMA			-
	or every day of	delay shall be S TECHNOL Jennal Signal		2	Very Trully ROZZA	A MA M	
(In case	of Negotiated	Purchase purs		Requesting Office/Dept.	Funds Available	21	
	369 (a) of RA7	160 this portio	on must		Amoun	t:	
	mplished.)	ica then Nacci	iated		R O. No.	.:	
	ed to be purcha se per Sangguni	7,073			12.0.140	·	
Certifie	d Correct :	Secretary of th	e Sanggunian	Authorized Official		Chief Accoun	t

	C-SYSTE	MS TECH	NOLOGIES INCORPORATED	P.O. No. :	3345	5
Supplier :		as, Cavite			April 08, 2025	
Address:	——————————————————————————————————————			Mode of Pr	ocurement :	dding
				Mode of 11	ocurement.	
Gent	lemen :			condition contain her	ein:	
	Please b	e furnish this	office the following articles subject to the terms and	Condition contain her		
DI	C dalissams s			Delivery Term :		
				Payment Term :		
Dat 	te of delivery :		Description		Unit Cost	Amount
Item No.	Quantity	Unit	Description			January De
29	1	set	Paint Brush 2 3 PCS Stainless drillbit 5.0mm 3 PCS DIN RAIL 2MTS Welding rod 2 KG MCB 16cb 3PCS MCB Housing 1 way 3PCS Alcohol 1 LTS Tissue 1BX INSTALLATION & CONFIGURATION OF BODY C & RECORDER Installation and Configuration of 16 Bullet Network Installation and Configuration of 5 Dome Network Installation and Configuration of 2 PTZ Network C Installation and Configuration of Network Devices Installation and Configuration of Recorder Integration to existing command center Testing of network security and connectivity Testing and Commissioning WARRANTY AND SERVICES INCLUSIONS: Inclusion: * Support and Maintenance a: Technical support will be provided through 8 x 5 Technical Support and 24 x 7 Emails, Phone and R b. Render on-site service as soon as possible upon * Warranty: five (5) years warranty on body cameras, three(3) including technical support, three(3) year's mainte * Outright replacemnet of body camera Delivery period: 150 Working days upon received o	Standard and On-site emote Technical Suppreport of problem. years' service nance.		904,957.00
	-		SUPPLY, DELIVERY & INSTALLATION OF ADDIT CAMERAS IN STRATEGIC LOCATIONS WITHIN A			7,785,000.00
			MARKET PREMISES BY DDRM			
То	otal Amounts is	-				
	for every day	of delay shall IS TECHNO	noAlmun mo rale	Ve ivi āyo Rozza		3. BIAZON
		Sign	Pate	A		
(In ca	se of Negotiate	d Purchase pu			le :	
	on 369 (a) of RA	A7160 this por	tion must	Amou	nt :	
	complished.)			P O N	o.:	
Appr	roved to be pure			K.O. N		
		mang Kes. N	0. :	T.		
Purch	hase per Sanggi fied Correct :					