

Republic of the Philippines

City Government of Muntinlupa

National Road Putatan Muntinlupa City

BIDS and AWARDS COMMITTEE

www.muntinlupacity.gov.ph

REQUEST FOR QUOTATION

					Merc es viz salvesse tra	
					Date: 4/21/	
					Quotation No:2025-	0254
Company	y Name:					
Address:		W				
Business	Permit No.:_					
TIN:						
PhilGEPS	Registration N	No.(required):				
for the co	onduct of Colla		nhancer	nent Progr	ds to procure Supply & Delivery of Training Ma ram for DDRM SAR/Brgys & ACDVs, which regulations of Republic Act No.9184.	
		[5]			t to the Terms and Conditions provided	
	A copy of the	e following documents are also require	d to be	submitte	d along with your quotation/proposal:	
1. M	layor's/Busi	ness Permit: (Certified True Copy)		4. PhilG	EPS Registration (Certified True Copy)	
2. 0	mnibus Swa	rn Statement (original)		5.Certifi	cate of Registration (Certified True Co	ру)
3. Late	est Income 1	ax (Certified True Copy)		6. Tax C	learance (Certified true copy)	
(3) technica	NS: Iter the contents I specifications w	of this in any way. ith asterisks(*) are mandatory. Failure to comply with				
Mark Mark Programme Committee		tructions will disqualify your entire quotation. y read and accepted the Terms and Conditions, I/we s	ubmit ou	guotation/s	for the item/s as follows:	
Aite		rocurement Project	abilit out		oved Budget for the Contract (ABC)	
	elivery of Trainir					
		g Materials for the conduct of Collapsed Structure) Enhancement Program for DDRM SAR/Brgys & ACDVs	Seven	Hundred For	ty Nine Thousand One Hundred Sixty Two Pesos & 70,	100
		Enhancement Program for DDRM SAR/Brgys &				100
QTY	UNIT OF ISSUE	Enhancement Program for DDRM SAR/Brgys & ACDVs		Hundred For	ty Nine Thousand One Hundred Sixty Two Pesos & 70,	100
QTY Miscell	aneous (Traini ration and for	Enhancement Program for DDRM SAR/Brgys & ACDVs	Com	pliance		100
QTY Miscell	aneous (Traini ration and for	Penhancement Program for DDRM SAR/Brgys & ACDVs ITEM DESCRIPRION ITEM DESCRIPRION	Com	pliance		100

CON NG MUNITIVE UPA

Republic of the Philippines

City Government of Muntinlupa

National Road Putatan Muntinlupa City

BIDS and AWARDS COMMITTEE

		Rope typeA Diameter under 10kg			T
		load12,5 mm Mass/meter under 10kg			
		load95 g/m, Number of falls≥ 5, Impact			
		force5,9 kN, Static elongation2,8%,			
		Breaking strength≥ 40 kN, B/S with			
		figure of 8 knotz 15 kN, % Core62%, %			
		Cover38%, Knotability 1,1, Shrinkage to			
		water3,5%, Sheath slippage0%, Number			
		of plaits48, Material100% polyamide			
		high tenacity. Lengths200m			
1	spool	Rope 10.5mm Kernmantle Static (200meters)			
		Weight 30g/m Breaking Strength 12kN,			
		Component: 100% polyamide			
		Tubular Webbings 26mm /200 meters			
1	spool	Weight 37,3 g/m, 200m, Breaking			
	spool	Strength 16,2kN, Material 100%			
		polyester			
		Nothing Follows			
		Kope 7mm Kemmande Stadt			
		(200meters) Rope typeA Diameter			
		under 10 kg load10.5 mm, Mass/meter			
		under 10 kg load66 g/m, Number of			
		falls≥ 5, Impact force5,9 kN, Elongation			
		from 50 to 150 kg2.8%, Breaking			
1	spool	100 100 100 100 100 100 100 100 100 100			
		strength≥ 28 kN, Breaking strength with			1
		sewn loop≥ 28 kN, % Core62%, %			
		Cover38%, Knotability0.8, Shrinkage to			
		water3 %, Sheath slippage0,2%, Number			
		of plaits32, Material 100% polyamide			
		high toposity I anatha 200m	 		
		Pannal Glaves (Hassas Duty doughts			
		Rappel Gloves (Heavy Duty, durable,			
14	pairs	high quality) Materials: Goat skin			
77.554		leather (80%);. Spandex (15%);, Neoprene			
		(5%).	 		
				I	1
		Utility Gloves Material: Microfiber			
		Utility Gloves Material: Microfiber material palm for dexterity, super fiber			
200	pairs				
200	pairs	material palm for dexterity, super fiber for fingernail protection, neoprene cloth			
200	pairs	material palm for dexterity, super fiber			

NG MUNITAL UPA TO THE TAX TO THE

Republic of the Philippines

City Government of Muntinlupa

National Road Putatan Muntinlupa City

BIDS and AWARDS COMMITTEE

		Rope 10mm, 200 meters - Material:			
		Polyamide, Dual fibre polyster/PP			
4		Composite rope, non-skid with good			
1	spool	shock absorption. High strength, low			
		elongation, good weaning resistance,	-		
		easy inserting and fastening.			
		Rope Shield double layered very high			
	///	resistance fabric, with a velcro closure			
20	pcs	along the entire protector for quick			
		release			
		Discovery Seat Harness - Weight: 350g			
6	pairs	Lumbar circumference 60+ 125 cm,			
	7	Thigh width 35+85 cm			
12	pairs	Knee Pads Dimensions: 215 x 180mm			
		Size: One size fits all, Material: Neoprene			
		base, Cladding with closed cell foam			
		sheets (EVA), PVC protective outer shell			
		for impact resistance, Design: Ergonomic			
		design with moulded foam body for			
		extra comfort			
		Waterproof Dry Bag, 2L - Made of			
50	pcs	water resistant PVC, Floats in water if			
		dropped			
		Reflective Water Floating PP Water			
1	cnool	Rope-10mm/200meters - 48 braid			
(1)	spool	construction Yellow + gray reflective 48			
		braids 50g/m Breaking strength 12 KN			
		Water Safety Helmet - Material: ABS			
14	pcs	hard shell and EVA inner lining, with			
		buckle strap		 	
			-	 	
		Chest Water Waders - Material:			
14	pcs	neoprene, rubber and breathable nylon			
80%		or polyester with a waterproof			
		membrane, sizes: M (4), L (8) & XXL (2)			

NG MUNITAL UPA

Republic of the Philippines

City Government of Muntinlupa

National Road Putatan Muntinlupa City

BIDS and AWARDS COMMITTEE

		Water Rescue Tube - PFD Type: Type IV,				
7	pcs	Dimensions (LxWxH): 120cm x 15cm x				
,	pcs	7cm, Fabric: Nylon, Buoyancy Material:				
		PE Foam				
	-	Whistle - Material: durable poly				
		carbonate and co-molded elastomer for				
		added comfort and slip resistance,				
50	pcs	specifically designed to perform in the				
	1	nastiest weather conditions. With black				
		breakaway lanyard, Ring is rustproof,				
		stainless steel	·			_
				-		
		Throw Bag, 10meters - Rope Length:		1		
3	pcs	10m, 20m, 30m, Rope Diameter: 3/8" (9.53mm), Rope Material: Polypropylene				
3	pes	(yellow and orange weave sheath),		1 1		
		Fabric: Nylon, Rubber Mesh				
		Rescue Torpedo - PFD Type: Type IV,				
7	pcs	Dimensions (LxWxH): 60cm x 30cm x				
		11cm, Fabric: Nylon, Buoyancy Material:				
		PE Foam				
		Nothing Follows				
		mmary of Approved Budget		OFFER	ED QUOTATION	
	UNIT OF	immary of Approved Budget		UNIT OF	ED QUOTATION	
QTY	ISSUE	ITEM DESCRIPTION	QTY	ISSUE	ITEM DESCRIPTION	TOTAL PRICE
Miscella	neous (Trair	ning Materials - Additional) used for skills				
demonstra	ation and fo	r the safety & protection of the participants				
8	facilitators	during the enchancement program				
		Items:				
1	spool	Rope 12.5mm Kernmantle Static				
		(200meters)				
		Rope typeA Diameter under 10kg load12,5 mm Mass/meter under 10kg				
		load 12,5 mm Mass/meter under 10kg load 95 g/m, Number of falls ≥ 5, Impact				
		force5,9 kN, Static elongation2,8%,		1 1		
		Breaking strength≥ 40 kN, B/S with		1 1		
		figure of 8 knotz 15 kN, % Core62%, %				
		Cover38%, Knotability 1,1, Shrinkage to				
		water3,5%, Sheath slippage0%, Number				
		of plaits48, Material100% polyamide				
		high tenacity. Lengths200m				

REGID NG MUNITIFIED UPA

Republic of the Philippines

City Government of Muntinlupa

National Road Putatan Muntinlupa City

BIDS and AWARDS COMMITTEE

1	spool	Rope 10.5mm Kernmantle Static (200meters)	
		Weight 30g/m Breaking Strength 12kN, Component: 100% polyamide	
1	spool	Tubular Webbings 26mm /200 meters Weight 37,3 g/m, 200m, Breaking Strength 16,2kN, Material 100% polyester	
		Nothing Follows	
1	spool	(200meters) Rope typeA Diameter under 10 kg load10.5 mm, Mass/meter under 10 kg load66 g/m, Number of falls≥ 5, Impact force5,9 kN, Elongation from 50 to 150 kg2.8%, Breaking strength≥ 28 kN, Breaking strength with sewn loop≥ 28 kN, % Core62%, % Cover38%, Knotability0.8, Shrinkage to water3 %, Sheath slippage0,2%, Number of plaits32, Material 100% polyamide	
14	pairs	Rappel Gloves (Heavy Duty, durable, high quality) Materials: Goat skin leather (80%);. Spandex (15%);, Neoprene (5%).	
200	pairs	Utility Gloves Material: Microfiber material palm for dexterity, super fiber for fingernail protection, neoprene cloth for joint protection, polyester fabrics for a cool design style	
1	spool	Rope 10mm, 200 meters - Material: Polyamide, Dual fibre polyster/PP Composite rope, non-skid with good shock absorption. High strength, low elongation, good weaning resistance, easy inserting and fastening.	
20	pcs	Rope Shield double layered very high resistance fabric, with a velcro closure along the entire protector for quick release	

SOUNG MUNICIPAL UPA

Republic of the Philippines

City Government of Muntinlupa

National Road Putatan Muntinlupa City

BIDS and AWARDS COMMITTEE

6	pairs	Discovery Seat Harness - Weight: 350g Lumbar circumference 60+ 125 cm, Thigh width 35+85 cm	
12	pairs	Knee Pads Dimensions: 215 x 180mm	
		Size: One size fits all, Material: Neoprene base, Cladding with closed cell foam sheets (EVA), PVC protective outer shell for impact resistance, Design: Ergonomic design with moulded foam body for extra comfort	
50	pcs	Waterproof Dry Bag, 2L - Made of water resistant PVC, Floats in water if dropped	
1	spool	Reflective Water Floating PP Water Rope-10mm/200meters - 48 braid construction Yellow + gray reflective 48 braids 50g/m Breaking strength 12 KN	
14	pcs	Water Safety Helmet - Material: ABS hard shell and EVA inner lining, with buckle strap	
14	pcs	Chest Water Waders - Material: neoprene, rubber and breathable nylon or polyester with a waterproof membrane, sizes: M (4), L (8) & XXL (2)	
7	pcs	Water Rescue Tube - PFD Type: Type IV, Dimensions (LxWxH): 120cm x 15cm x 7cm, Fabric: Nylon, Buoyancy Material: PE Foam	
50	pcs	Whistle - Material: durable poly carbonate and co-molded elastomer for added comfort and slip resistance, specifically designed to perform in the nastiest weather conditions. With black breakaway lanyard, Ring is rustproof, stainless steel	



Republic of the Philippines

City Government of Muntinlupa

National Road Putatan Muntinlupa City

BIDS and AWARDS COMMITTEE

www.muntinlupacity.gov.ph

			₱749,162.	70	Total Offered quotation (in Php)	Php
		Nothing Follows				
7	pcs	Rescue Torpedo - PFD Type: Type IV, Dimensions (LxWxH): 60cm x 30cm x 11cm, Fabric: Nylon, Buoyancy Material: PE Foam				
3	pcs	Throw Bag, 10meters - Rope Length: 10m, 20m, 30m, Rope Diameter: 3/8" (9.53mm), Rope Material: Polypropylene (yellow and orange weave sheath), Fabric: Nylon, Rubber Mesh				

TERMS AND CONDITIONS:

- 1. Bidders shall provide correct and accurate information required in this form.
- 2. Bidders must quote for all or all the items.
- 3. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
- 4. Price quotation/s, to be denominated in Philippine peso shall include all taxes, duties and/or levies payable.
- 5. Quotations exceeding the Approved Budget for the contract shall be rejected.
- 6. Award of contract shall be made to the lowest quotation (for goods and infrastructure) or, the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
- 7. Any interlineations, erasures overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- 8. The Item/s shall be delivered according to the requirements specified in the Technical Specifications.
- 9. The GSO shall have the right to inspect and/or to test the goods to confirm their conformity to the technical specifications.

Signature over Pri	nted Name
Position/Desig	nation
Office Telepho	one No.
Mobile Phone No	./Fax No.